


# Metal web joist separating floor

## Robust Detail E-FT-6

CELLECTA ScreedBoard® 28 laid on timber sub-floor  
Use with timber frame walls only



- Floating floor treatment** CELLECTA ScreedBoard® 28 (See Table 2T.09a for full details)
- Floor decking** 15mm<sup>(1)</sup> (min) thick wood based board, density 600kg/m<sup>3</sup> (min)
- Joists** 253mm (min) metal web joists
- Absorbing material**
  - 50mm CELLECTA FIBREfon® Micro 50
  - 100mm (min) quilt insulation (10-36kg/m<sup>3</sup>)
- Ceiling** See Table 2T.09b for ceiling treatment options

Fig. 2T.09



Table 2T.09a

### Installation Details

#### Resilient overlay platform floor system

- 1 **ScreedBoard® 28** Ultra high performance, dense acoustic composite overlay board  
28mm x 600mm x 1200mm  
Weight: 26kg/m<sup>2</sup> / 18.72kg/board
- A **CELLECTA Pro Adhesive**  
ScreedBoard joint adhesive  
Bottle size: 1L / 33m<sup>2</sup> coverage
- 2 **YELOfon® FS50**  
Preformed flanking strip:  
6mm x 50mm x 30mm x 2m

**Additional items required:**  
CELLECTA ScreedBoard® fixing tools  
Sound absorbing quilt laid between joists:  
○ 50mm CELLECTA FIBREfon® Micro 50 non-itch polyester wool  
● 100mm (min) Mineral wool 10-33kg/m<sup>3</sup>

**Construction notes**  
Materials must be installed in accordance with manufacturers' instructions to achieve stated acoustic values.  
Wall treatments **MUST** be isolated from the floating floor with YELOfon FS50 flanking strip.  
Services must not puncture primary ceiling lining (except cables, which should be sealed with flexible sealant).

Table 2T.09b

### Ceiling Treatment Options

**Ceiling boards must not penetrate or touch joists**  
16mm (min) metal resilient bars mounted at right angles to the joists at 400mm centres.

**CT1** Two layers of gypsum-based board, composed of 19mm (nominal 13.5kg/m<sup>2</sup>) fixed with 32mm screws and 12.5mm (nominal 10kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.

**CT2** Two layers of gypsum-based board, composed of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 25mm screws and a second layer of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.

**Plus sacrificial ceiling**  
Metal ceiling system with a 150mm (min) void fixed to underside of primary ceiling. One layer of nominal 8kg/m<sup>2</sup> gypsum based board.

**CT3** - 30mm CELLECTA HP30 resilient bars mounted at right angles to the joists at 600mm (max) centres.

Two layers of gypsum-based board, composed of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 25mm screws and a second layer of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.

**Additional items required:**  
CELLECTA ScreedBoard fixing tools

### Acoustic Performance


<b>Airborne:</b> 53dB $D_{nT,w} + C_{tr}$	<b>Building Regs</b>
<b>Impact:</b> 55dB $L_{nT,w}$	<b>+ 5dB</b>

Values quoted are typical and based on the treatment being installed correctly and pre-completion tested (PCT).  
Airborne performance tested in accordance with BS EN ISO 140-4:1998  
Impact performance tested in accordance with BS EN ISO 140-7:1998

### Third Party Accreditation and Approvals

### Environmental Credentials

CELLECTA Mojave® acoustic / UFH floating floor system laid on timber sub-deck  
Use with timber frame walls only



- Acoustic + UFH treatment**  
CELLECTA Mojave® S1/8 acoustic treatment incorporating underfloor heating (see Table 2T.10a for full details)
- Floor decking**  
15mm<sup>(1)</sup> (min) thick wood based board, density 600kg/m<sup>3</sup> (min)
- Joists**  
253mm<sup>(1)</sup> (min) metal web joists
- Absorbing material**  
  - 50mm CELLECTA FIBREfon® Micro 50
  - 100mm (min) quilt insulation (10-36kg/m<sup>3</sup>)
- Ceiling**  
See Table 2T.10b for ceiling treatment options featuring 30mm deep CELLECTA HP30 resilient bars

<sup>(1)</sup>18mm (min) required for Robust Detail applications

Fig. 2T.10



Table 2T.10a

Table 2T.10b


### Installation Details

Resilient overlay platform floor system incorporating underfloor heating


#### CELLECTA Mojave® S1/8

Dry laid acoustic treatment incorporating underfloor heating system

- ScreedBoard® 20**  
High conductivity overlay board  
Dimensions: 20mm x 600mm x 1200mm  
Weight: 25kg/m<sup>2</sup> / 18.00kg/board  
Thermal resistance: 0.05m<sup>2</sup>K/W
- CELLECTA Pro Adhesive**  
ScreedBoard joint adhesive  
Bottle size: 1L / 33m<sup>2</sup> coverage
- ULTRApate**  
Aluminium heat diffuser plate (to suit pipe installed)  
Dimensions: 130mm x 1000mm
- XFLO® 250, 300, 500 (kPa)**  
High compressive strength routed XPS insulation  
Dimensions: 15-75mm x 600mm x 2500mm  
Pipe centre: 150, 200, 300mm  
Pipe bore size (OD): 10 - 20mm (manufactured to suit)
- FIBREfon® 8**  
High performance resilient layer  
Dimensions: 8mm x 600mm x 1200mm  
Weight: 1kg/m<sup>2</sup> / 0.72kg/board
- YELOfon® ES5/100**  
Perimeter edge strip  
Dimensions: 5mm x 100mm x 50m
- UFH water pipe (by others)



Screedboard 20 is **5x more thermally conductive** than an 18mm chipboard + 19mm plasterboard plank combination, enabling the underfloor heating system to be more responsive and the heat source to run more efficiently at a lower temperature.




### Ceiling Treatment Options

**Ceiling boards must not penetrate or touch joists**  
16mm (min) metal resilient bars mounted at right angles to the joists at 400mm centres.

**CT1** Two layers of gypsum-based board, composed of 19mm (nominal 13.5kg/m<sup>2</sup>) fixed with 32mm screws and 12.5mm (nominal 10kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.


**CT2** Two layers of gypsum-based board, composed of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 25mm screws and a second layer of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.

**Plus sacrificial ceiling**  
Metal ceiling system with a 150mm (min) void fixed to underside of primary ceiling. One layer of nominal 8kg/m<sup>2</sup> gypsum based board.



**CT3** - 30mm CELLECTA HP30 resilient bars mounted at right angles to the joists at 600mm (max) centres.

Two layers of gypsum-based board, composed of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 25mm screws and a second layer of 15mm (nominal 12.5kg/m<sup>2</sup>) fixed with 42mm screws, with all joints staggered.



**Additional items required:**  
CELLECTA ScreedBoard fixing tools

### Acoustic Performance

**Airborne:** 54dB  $D_{nT,w} + C_{tr}$

**Impact:** 55dB  $L_{nT,w}$

Building Regs

+ 5dB

### Third Party Accreditation and Approvals




### Environmental Credentials



Values quoted are typical and based on the treatment being installed correctly and pre-completion tested (PCT).  
Airborne performance tested in accordance with BS EN ISO 140-4:1998  
Impact performance tested in accordance with BSEN ISO 140-7: 1998

# Floating floor treatment design & installation details: ScreedBoard® 20/28

The acoustic performance of the floor structure will be compromised if the **ScreedBoard's** are not completely isolated from the sub-floor, soil pipes, door frames, surrounding walls and their treatments. To address this risk, each potential problem area needs to be detailed accordingly.




## Fixing tools & adhesive required

- A. Hand or skill saw
- B. Club hammer
- C. ScreedBoard "Fixing batten"
- D. ScreedBoard "Pull bar"
- E. CELLECTA Pro Adhesive (1Ltr)
- + Packing shims (not shown)


Installation video on the **CELLECTA** app

### 1 Door threshold




To add additional support, trim off 35mm of the resilient later from the leading edges and install a 75mm wide RUBBERfon Threshold Support Strip (TSS).

### 2 Wall treatment installed before the floor treatment




Wall treatments MUST be isolated from the ScreedBoard 20/28 with YELOfon ES or FS strip.

### 3 Wall treatment installed after the floor treatment




Wall treatments MUST be isolated from the ScreedBoard 20/28 with YELOfon ES or FS strip.

### 4 Timber stud partition built off the structural floor




Internal timber stud walls built off the structural floor MUST be isolated from the ScreedBoard 20/28 with YELOfon ES or FS strip.

### 5 Non-load bearing timber stud partition built off the floor treatment




Non-load bearing timber stud walls can be built directly off the ScreedBoard 20/28. Care should be taken to ensure screws DO NOT penetrate the resilient layer.

### 6 Metal frame partition built off the structural floor




Internal metal frame walls built off the structural floor MUST be isolated from the ScreedBoard 20/28 with YELOfon ES or FS strip.

### 7 Non-load bearing metal frame partition built off the floor treatment




Non-load bearing metal frame walls can be built directly off the ScreedBoard 20/28. Care should be taken to ensure screws DO NOT penetrate the resilient layer.

### 8 Sanitary ware built off the floor treatment.



Sanitary ware can be built directly off the ScreedBoard 20/28. Ensure the screws do not penetrate the resilient layer.

### 9 Baths, shower trays built off the structural floor



Baths and shower trays built off the structural floor should be isolated from the ScreedBoard 20/28 and any floor finished YELOfon ES or FS strip.