




dēanta

OAK



WALNUT



WHITE PRIMED

ALL WHITE PRIMED DOORS CAN BE FINISHED WITH A CHOICE OF NINE COLOURS. SEE PAGE 80



ALL WHITE PRIMED DOORS CAN BE FINISHED WITH A CHOICE OF NINE COLOURS. SEE PAGE 80



ALL WHITE PRIMED DOORS CAN BE FINISHED WITH A CHOICE OF NINE COLOURS. SEE PAGE 80



GREY ASH



CONTENTS

P.006 - P.007	FIRE SAFETY <i>Fire safety is at the core of our business</i>
P.008 - P.011	BESPOKE DOORS & GLAZING <i>Any door, any size</i>
P.012 - P.065	OAK DOORS <i>Our range of oak doors</i>
P.066 - P.079	WALNUT DOORS <i>Our range of walnut doors</i>
P.080 - P.083	HUE BY DÉANTA <i>Add a splash of colour with Hue by Déanta</i>
P.084 - P.113	WHITE PRIMED DOORS <i>Our range of white primed doors</i>
P.114 - P.123	ASH COLLECTION <i>Our range of ash doors</i>
P.124 - P.133	DÉANTA ARCHITECTURAL <i>Our range of flush doors</i>
P.134 - P.139	HARDWARE <i>Handles, hinges, locks and latches</i>
P.140 - P.143	ANCILLARY PRODUCTS <i>Skirting, architrave and door lining sets</i>
P.144 - P.147	FIRE & ACOUSTIC <i>Fire glass and fire, smoke, thermal & acoustic seals</i>
P.148 - P.153	FOLDING SYSTEMS <i>Déanta's stylish room divider solution</i>
P.154 - P.159	SLIDING SYSTEMS <i>Our pocket door system</i>
P.160	SUSTAINABILITY <i>How we reduce our impact on the environment</i>
P.161	IMPORTANT INFORMATION <i>The fine print</i>

THE DÉANTA STORY

We are not just another door company. We are not like everybody else. We have worked within the door industry for more than 20 years. During this time we have established ourselves as a forward-thinking, innovative company with a mission to revolutionise the door industry. At Déanta, we have a strong set of beliefs that run through everything we do.

OUR COMMITMENT TO QUALITY

Customer satisfaction is Déanta's highest priority. We achieve this goal by continuously improving the cost effectiveness and performance of all our products and processes, as well as focusing on innovation.

Unlike other UK door companies, we have our own manufacturing facility. This not only allows us to control stock supply, but it also allows us to have full control of the quality control process to ensure every door that leaves our factory is of the very highest standard.

This enables us to be extremely competitive on price, as well as surpassing expectations on service and giving us the flexibility to have doors manufactured to meet your exact specification.

OUR COMMITMENT TO THE ENVIRONMENT

We only use FSC® certified materials in all our prefinished doors, meaning they are sourced from well-managed FSC® certified forests and from recycled materials.

The FSC® ensure that forests are kept alive for generations to come. Harvest of all their timber products maintains forests' biodiversity, productivity and ecological processes.

Although many timber suppliers suggest their materials are from 'sustainable' or 'managed' sources, without an independent certification system, there is no way of verifying this or demonstrating the expectation levels to our clients.

FSC® set higher standards than any other forest certification system, giving the best assurance that forests are being managed responsibly and giving us peace of mind that we know exactly where our materials have been sourced.

THE COLLECTION

At Déanta we manufacture and supply a wide range of beautifully crafted stylish interior doors. Our collection includes oak, walnut, dark grey ash, light grey ash and white primed doors along with a selection of FD30 fire doors.

We also manufacture a range of skirting, architrave and door lining sets in oak, walnut and white primed. These sets use the same hand-picked veneers as our doors, complementing them perfectly.

All Déanta doors are made to the highest standard with only the finest of materials ensuring you get the best from your contemporary Déanta door. Our design team tirelessly follow the door industry to come up with new, exciting designs to add to our ever-increasing collection. And our rigorous testing procedures ensure that only the very best doors make it to market.

Déanta offers the largest lippings available in the UK internal door market. All of our doors have 18mm lippings around the entire door meaning that a total of 32mm can be taken off the height and width of all our standard doors ensuring they will fit into any size opening. *

We only ever produce solid core doors that are heavy and robust and are finished with specially selected crown cut and diamond cut oak, walnut, dark grey ash and light grey ash veneers to give a real timber look and feel. Our white primed doors are produced in the same way as our veneered doors and are ready for a one-coat finish.

All of our prefinished doors are FSC® certified.



* Please contact us for advice on FD30 lippings.



FIRE SAFETY

Fire safety is at the core of our business. Because we manufacture all of our doors, we can ensure that every single component not only meets the required standards, but exceeds them. We invest heavily in research and development to ensure we offer the safest, most reliable fire safety products on the market.

We extensively test our product range through independent, third-party certification schemes. These accreditations are detailed below. Currently, every single fire door in our collection is covered under the BM TRADA Q-Mark[®] scheme and every Déanta Architectural FD30 door is Certifire-approved. The third-party certifications are detailed on the product pages.

* Ensure you request Q-Mark certification when placing order. Due to stock rotation, not every door will contain a Q-Mark plug. Doors without plug are covered under the BM TRADA Q-Mark scheme.



BM TRADA Q-Mark

The BM TRADA Q-Mark product certification for construction products which system is based on the recognised Product Certification Standard EN ISO/IEC 17065 and confirms that a product conforms to the requirements of an appropriate recognised product Scheme Technical Document. BM TRADA Q-Mark products feature a plug identifying them as such.



Certifire

Certifire is a UKAS accredited, independent third-party product certification scheme operated by Warringtonfire Testing and Certification Limited. FD30 doors certified to the Certifire scheme are clearly identified as such on each product page.



We offer a bespoke glazing service. Customise the aperture of any of our fire doors to suit your needs with a three to four week lead time.

BESPOKE DOORS

dēanta
BESPOKE

YOUR DOOR. YOUR SIZE. YOUR STYLE. OUR PLEASURE.

Choose a bespoke size of any door in this brochure or even design your perfect door and our skilled craftsmen will bring your ideas to life.

Simply follow our four steps to get your perfect door.

Please visit our website at: www.deantabespoke.co.uk for more information.

STEP 1

Contact your local stockist with your request

STEP 2

Once we receive your enquiry you will be sent a quotation and lead time

STEP 3

You will receive a technical drawing and once we receive your approval, your door will go into production and lead time confirmed

STEP 4

Your bespoke doors are delivered direct to your home



BESPOKE GLAZING SERVICE

Bespoke glazing is available for a number of the doors in this brochure. The doors are cut and glazed in our glazing centre right here in Cambridgeshire with a lead time of three to four weeks.

DESIGN

Choose your aperture size and configuration and select from a range of glazing types. The bespoke glazing service is available for regular glazing and fire glazing.


CHOICE

Choose from fifteen specially selected doors and unlimited aperture options. The doors that are able to be customised are identified on the product pages.

CERTIFICATION


We extensively test our product range through independent, third-party certification schemes. These accreditations are detailed on the opposite page.

APERTURE & GLAZING OPTIONS



With fourteen aperture options to choose from, customising your door is a simple process. Alternatively, choose a bespoke aperture to suit your needs.


30 MINUTE CLEAR GLAZING



SATIN GLAZING



WIRED GLAZING



60 MINUTE CLEAR GLAZING



Choose from standard non fire-rated glass to 30 minute and 60 minute fire-rated with satin and wired options.

SIMPLE DESIGN PROCESS


CHOOSE A DOOR



CHOOSE APERTURE



CHOOSE GLAZING



CERTIFICATION



Certifiere

Certifiere is a UKAS accredited, independent third-party product certification scheme operated by Warringtonfire Testing and Certification Limited. FD30 doors certified to the Certifiere scheme are clearly identified as such on each product page.



OAK

FEATURES

- + Real American white oak veneer
- + Crown cut veneer / diamond cut veneer
- + 32mm can be taken off the width and height of standard doors
- + Refer to our website for details on trimming fire doors
- + Clear toughened glass / frosted glass / bevelled glass / v-groove glass
- + Solid core
- + Prefinished and unfinished
- + Covered by the Déanta 10 year warranty
- + FSC® certified timber on prefinished products
- + Bespoke sizes available



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Half splayed, oak

SUGGESTED ACCESSORIES



Fortuna - See page 136



Half splayed - See page 142

AMALFI PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Certifire-approved & BM TRADA Q-Mark



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Ulysses, white primed



Invictus - See page 136

Ulysses - See page 143

AUGUSTA PREFINISHED OAK



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark



Featured skirting and architrave - Victoriana, white primed



Featured skirting and architrave - Victoriana, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 136



Victoriana - See page 143

BIARRITZ PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



OAK / BRISTOL

UF 10 UNFINISHED WARRANTY



Featured skirting and architrave - Victoriana, white primed

OAK / BRISTOL



Featured skirting and architrave - Shaker, oak



SUGGESTED ACCESSORIES

Augustus - See page 136

Shaker - See page 142

BRISTOL UNFINISHED OAK

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm



BURY



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Shaker, white primed



Veritas - See page 136

Shaker - See page 143

BURY PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2032 x 813 x 35mm
- 2040 x 626 x 40mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm
- 2032 x 813 x 35mm
- 2040 x 626 x 40mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm

Fire door option. Fire doors are 44mm thick.



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Augustus - See page 136



Shaker - See page 142

CADIZ PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION


Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark





OAK / CAMBRIDGE

OAK / CAMBRIDGE



Featured skirting and architrave - Victoria, white primed



Featured skirting and architrave - Traditional, oak

SUGGESTED ACCESSORIES



Hadrian - See page 136



Traditional - See page 142

CAMBRIDGE UNFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2032 x 813 x 35mm / 44mm

GLAZED OPTION

Available with frosted toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm
- 2032 x 813 x 35mm

Fire door option. Fire doors are 44mm thick.



UF UNFINISHED

FD30

10 WARRANTY



PAGE 88

Available in



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Augustus - See page 136



Shaker - See page 142

COVENTRY PREFINISHED / UNFINISHED OAK

Only prefinished door is FSC®-certified

SOLID OPTION

SIZES

- 1981 x 533 x 35mm
- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2032 x 813 x 35mm / 44mm
- 2040 x 626 x 40mm
- 2040 x 726 x 40mm / 44mm
- 2040 x 826 x 40mm / 44mm
- 2040 x 926 x 40mm

Fire door option. Fire doors are 44mm thick.

GLAZED OPTION

Available with clear toughened glass or frosted glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm
- 2032 x 813 x 35mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm



Available in

PAGE 70

PAGE 94



OAK / ELY



PF
PREFINISHED

UF
UNFINISHED

OG
FINISH

FD30

10
WARRANTY



PAGE
98



Available in



OAK / ELY

Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 136



Shaker - See page 143

ELY PREFINISHED / UNFINISHED OAK

Only prefinished door is FSC®-certified

SOLID OPTION

Fire door option. Fire doors are 44mm thick.



Bespoke glazing options available with this door.

SIZES

- 1981 x 457 x 35mm / 44mm
- 1981 x 533 x 35mm
- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 711 x 35mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2032 x 813 x 35mm
- 2040 x 526 x 40mm
- 2040 x 626 x 40mm
- 2040 x 726 x 40mm / 44mm
- 2040 x 826 x 40mm / 44mm
- 2040 x 926 x 40mm / 44mm

2040 x 526 x 40mm & 1981 x 457 x 44mm available prefinished only

FD30 doors acoustic tested up to 31dB

Certifire-approved & BM TRADA Q-Mark



Ely 1L. Featured skirting and architrave - Half splayed, white primed



Ely 1L Full. Featured skirting and architrave - Shaker, oak

SUGGESTED ACCESSORIES



Hadrian - See page 136



Shaker - See page 142

ELY PREFINISHED / UNFINISHED OAK

Only prefinished door is FSC®-certified



ELY 1L

Available with v-groove glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm



ELY 1L FULL

Available with v-groove glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm



PF
PREFINISHED

UF
UNFINISHED

OG
FINISH

10
WARRANTY



PF
PREFINISHED

OG
FINISH

10
WARRANTY

ELY 5L & 6L



Ely 6L. Featured skirting and architrave - Shaker, white primed



Ely 5L. Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 136



Half splayed - See page 142

ELY PREFINISHED / UNFINISHED OAK

Only prefinished door is FSC®-certified

ELY 5L

Available with clear toughened glass



SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Available prefinished only

ELY 6L

Available with clear bevelled glass



SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm
- 2040 x 626 x 40mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm




OAK / ETON



UF UNFINISHED

FD30

10 WARRANTY

Available in  PAGE 100



OAK / ETON

Featured skirting and architrave - Half splayed, oak



Featured skirting and architrave - Traditional, oak

SUGGESTED ACCESSORIES



Veritas - See page 136



Traditional - See page 142

ETON UNFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2032 x 813 x 35mm
- 2040 x 626 x 40mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm
- 2040 x 926 x 40mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm

Fire door option. Fire doors are 44mm thick.



Front of door Back of door Glazed

Galway Ledge & Brace. Featured skirting and architrave - Shaker, white primed



Galway. Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Veritas - See page 136



Shaker - See page 143

GALWAY AND GALWAY LEDGE & BRACE UNFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

LEDGE & BRACE OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark

Solid FD30 doors acoustic tested up to 31dB



OAK / KENSINGTON



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Traditional, oak

SUGGESTED ACCESSORIES



Invictus - See page 136



Traditional - See page 142

OAK / KENSINGTON

KENSINGTON PREFINISHED OAK

SOLID OPTION

SIZES

1981 x 533 x 35mm	2032 x 813 x 35mm / 44mm
1981 x 610 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 686 x 35mm / 44mm	2040 x 726 x 40mm / 44mm
1981 x 762 x 35mm / 44mm	2040 x 826 x 40mm / 44mm
1981 x 838 x 35mm / 44mm	2040 x 926 x 40mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

1981 x 610 x 35mm	2032 x 813 x 35mm
1981 x 686 x 35mm	2040 x 726 x 40mm
1981 x 762 x 35mm	2040 x 826 x 40mm
1981 x 838 x 35mm	

Available in



Fire door option. Fire doors are 44mm thick.



OAK / KERRY

UF 10
UNFINISHED WARRANTY



OAK / KERRY

Featured skirting and architrave - Victoriana, white primed



Featured skirting and architrave - Shaker, oak

SUGGESTED ACCESSORIES



Augustus - See page 136



Half splayed - See page 143

KERRY UNFINISHED OAK

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm



OAK / KINGSTON

OAK / KINGSTON



UF UNFINISHED FD30 10 WARRANTY



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Half splayed, oak

SUGGESTED ACCESSORIES



Veritas - See page 136



Victoriana - See page 143

KINGSTON UNFINISHED OAK

SOLID OPTION

SIZES

1981 x 457 x 35mm	1981 x 838 x 35mm / 44mm
1981 x 533 x 35mm	2032 x 813 x 35mm
1981 x 610 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 686 x 35mm / 44mm	2040 x 726 x 40mm / 44mm
1981 x 711 x 35mm	2040 x 826 x 40mm / 44mm
1981 x 762 x 35mm / 44mm	

Fire door option. Fire doors are 44mm thick.



UF UNFINISHED
FD30
10 WARRANTY

NORWICH



Featured skirting and architrave - Traditional, oak



Featured skirting and architrave - Traditional, oak

SUGGESTED ACCESSORIES



Augustus - See page 136



Traditional - See page 142

NORWICH UNFINISHED OAK

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm 2040 x 626 x 40mm
 1981 x 686 x 35mm / 44mm 2040 x 726 x 40mm
 1981 x 762 x 35mm / 44mm 2040 x 826 x 40mm
 1981 x 838 x 35mm / 44mm 2040 x 926 x 40mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

1981 x 610 x 35mm 2040 x 726 x 40mm
 1981 x 686 x 35mm 2040 x 826 x 40mm
 1981 x 762 x 35mm
 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



OAK / OXFORD



PF
PREFINISHED

OG
FINISH

FD30

10
WARRANTY



Featured skirting and architrave - Victoriana, white primed



Featured skirting and architrave - Ulysses, white primed

SUGGESTED ACCESSORIES



Augustus - See page 136



Ulysses - See page 143

OAK / OXFORD

OXFORD PREFINISHED OAK

SOLID OPTION

SIZES


1981 x 610 x 35mm / 44mm	2032 x 813 x 35mm
1981 x 686 x 35mm / 44mm	2040 x 626 x 44mm
1981 x 762 x 35mm / 44mm	2040 x 726 x 40mm
1981 x 838 x 35mm / 44mm	2040 x 826 x 40mm

Fire door option. Fire doors are 44mm thick.



OAK / PAMPLONA

OAK / PAMPLONA



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Half splayed, oak

SUGGESTED ACCESSORIES



Fortuna - See page 136



Shaker - See page 142

PAMPLONA PREFINISHED OAK



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark

Solid FD30 doors acoustic tested up to 31dB



Available in



OAK / RAVELLO



Featured skirting and architrave - Shaker, white primed

OAK / RAVELLO



Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Veritas- See page 136



Shaker - See page 143

RAVELLO PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION


Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark





OAK / SEVILLE

OAK / SEVILLE



Available in

PAGE 76 PAGE 110



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Half splayed, oak



SUGGESTED ACCESSORIES



Augustus - See page 136



Half splayed - See page 142

SEVILLE PREFINISHED OAK



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 457 x 35mm
- 1981 x 533 x 35mm / 44mm
- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 711 x 35mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

- 2032 x 813 x 35mm
- 2040 x 526 x 40mm
- 2040 x 626 x 40mm / 44mm
- 2040 x 726 x 40mm / 44mm
- 2040 x 826 x 40mm / 44mm
- 2040 x 926 x 40mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2032 x 813 x 35mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm

Solid FD30 doors acoustic tested up to 31dB

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark



OAK / SEVILLE 4L & 4LS



Seville 4L. Featured skirting and architrave - Half splayed, white primed

OAK / SEVILLE 4L & 4LS



Seville 4LS. Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Augustus - See page 136



Half splayed - See page 143

SEVILLE 4L & 4LS PREFINISHED OAK

SEVILLE 4L

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm



SEVILLE 4LS

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm



Fire glazing available. Ask your local agent for details

Fire glazing available. Ask your local agent for details



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Half splayed, white primed



SUGGESTED ACCESSORIES

Hadrian - See page 136

Half splayed - See page 143

SORRENTO PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark

Available in



Featured skirting and architrave - Shaker, oak



Featured skirting and architrave - Shaker, white primed



SUGGESTED ACCESSORIES




Augustus - See page 136






Shaker - See page 142

TORINO PREFINISHED OAK

 Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm 
- 1981 x 762 x 35mm / 44mm 
- 1981 x 838 x 35mm / 44mm 

GLAZED OPTION


Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

 Fire door option. Fire doors are 44mm thick.

 Certifire-approved & BM TRADA Q-Mark





Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Half splayed, white primed



SUGGESTED ACCESSORIES

Augustus - See page 136

Traditional - See page 142

WALDEN UNFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm


GLAZED OPTION


Available with clear toughened glass or frosted glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.





Featured skirting and architrave - Ulysses, white primed



Featured skirting and architrave - Ulysses, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 136



Ulysses - See page 143

WINDSOR PREFINISHED OAK

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm



WALNUT

FEATURES

- + Real American black walnut veneer
- + Crown cut veneer / diamond cut veneer
- + 32mm can be taken off the width and height of standard doors
- + Refer to our website for details on trimming fire doors
- + Clear toughened glass / frosted glass / bevelled glass / v-groove glass
- + Aluminium inlays
- + Solid core
- + Prefinished
- + Covered by the Déanta 10 year warranty
- + FSC® certified timber
- + Bespoke sizes available



Featured skirting and architrave - Shaker, walnut



Featured skirting and architrave - Shaker, walnut

SUGGESTED ACCESSORIES



Augustus - See page 136



Shaker - See page 142

CADIZ PREFINISHED WALNUT

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark

Available in



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Augustus - See page 136



Shaker - See page 143

COVENTRY PREFINISHED WALNUT

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION


Available with clear toughened glass or frosted glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

🔥 Fire door option. Fire doors are 44mm thick.

Available in



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Shaker, walnut

SUGGESTED ACCESSORIES



Invictus - See page 136



Shaker - See page 142

KENSINGTON PREFINISHED WALNUT

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2032 x 813 x 35mm / 44mm
- 2040 x 626 x 40mm
- 2040 x 726 x 40mm / 44mm
- 2040 x 826 x 40mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm
- 2032 x 813 x 35mm

Fire door option. Fire doors are 44mm thick.



Featured skirting and architrave - Shaker, walnut




Featured skirting and architrave - Half splayed, white primed



SUGGESTED ACCESSORIES
Veritas - See page 136
Shaker - See page 142

PAMPLONA PREFINISHED WALNUT

 Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

 Fire door option. Fire doors are 44mm thick.

 Certifire-approved & BM TRADA Q-Mark

 Solid FD30 doors acoustic tested up to 31dB





SEVILLE



Featured skirting and architrave - Half splayed, white primed



Seville glazed. Featured skirting and architrave - Shaker, walnut

SUGGESTED ACCESSORIES



Invictus - See page 136



Shaker - See page 142

SEVILLE PREFINISHED WALNUT



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 457 x 44mm
- 1981 x 533 x 35mm / 44mm
- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 2040 x 726 x 40mm / 44mm
- 2040 x 826 x 40mm / 44mm
- 2040 x 926 x 40mm

Fire door option. Fire doors are 44mm thick.

FD30 doors acoustic tested up to 31dB

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm

Certifire-approved & BM TRADA Q-Mark



VALENCIA



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Ulysses, white primed



Augustus - See page 136

Ulysses - See page 143

VALENCIA PREFINISHED WALNUT



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

GLAZED OPTION

Available with clear toughened v-groove glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Certifire-approved & BM TRADA Q-Mark



HUE BY DÉANTA





Featured door: Rochester in Midnight. See page 109

AVAILABLE WITH ANY OF DÉANTA'S WHITE PRIMED DOORS



Add a splash of colour with Hue by Déanta

Introducing our brand new finishing service for our entire range of primed doors



CHOOSE YOUR DOOR




CHOOSE YOUR COLOUR




Pamplona glazed in Duck Egg. See page 105



Seville in Truffle. See page 111




WHITE IVORY MIST TRUFFLE MOCHA DUCK EGG PISTACHIO MIDNIGHT BLACK



WHITE PRIMED

FEATURES

- + Ready for a one-coat finish
- + 32mm can be taken off the width and height of standard doors
- + Refer to our website for details on trimming fire doors
- + Solid core for extra strength and stability
- + Clear toughened glass / frosted glass / bevelled glass
- + Doors are heavy and robust
- + Covered by the Déanta 10 year warranty
- + Bespoke sizes available



WHITE PRIMED / ASCOT

P FINISH
FD30
10 WARRANTY

Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Ascot finished with Mist



Featured skirting and architrave - Half splayed, white primed



SUGGESTED ACCESSORIES



Fortuna - See page 136



Half splayed - See page 143

WHITE PRIMED / ASCOT

ASCOT WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.



WHITE PRIMED / CAMBRIDGE

Available in

PAGE 26

P FINISH

FD30

10 WARRANTY

Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Cambridge finished with Pistachio

WHITE PRIMED / CAMBRIDGE



Featured skirting and architrave - Ulysses, white primed



Hadrian - See page 136

Ulysses - See page 143

CAMBRIDGE WHITE PRIMED

SOLID OPTION

- SIZES
- 1981 x 610 x 35mm
 - 1981 x 686 x 35mm / 44mm
 - 1981 x 762 x 35mm / 44mm
 - 1981 x 838 x 35mm / 44mm
 - 2040 x 726 x 40mm / 44mm
 - 2040 x 826 x 40mm / 44mm

GLAZED OPTION

Available with clear toughened glass

- SIZES
- 1981 x 610 x 35mm
 - 1981 x 686 x 35mm
 - 1981 x 762 x 35mm
 - 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



WHITE PRIMED / CANTERBURY



Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Canterbury finished with Mist



Featured skirting and architrave - Shaker, white primed



SUGGESTED ACCESSORIES

Veritas - See page 136

Half splayed - See page 143

WHITE PRIMED / CANTERBURY

CANTERBURY WHITE PRIMED

SOLID OPTION

- SIZES
- 1981 x 610 x 35mm
 - 1981 x 686 x 35mm / 44mm
 - 1981 x 762 x 35mm / 44mm
 - 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

- SIZES
- 1981 x 686 x 35mm
 - 1981 x 762 x 35mm
 - 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



WHITE PRIMED / CHESTER



P
FINISH

FD30

10
WARRANTY

Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Chester glazed finished with Black

WHITE PRIMED / CHESTER



Featured skirting and architrave - Half splayed, white primed



Hadrian - See page 136

Half splayed - See page 143

CHESTER WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



HUE
by Déanta

WHITE PRIMED / COVENTRY

Available in

PAGE
28

PAGE
70

P
FINISH

FD30

10
WARRANTY

Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Coventry finished with Pistachio

WHITE PRIMED / COVENTRY



Featured skirting and architrave - Ulysses, white primed

SUGGESTED ACCESSORIES



Hadrian - See page 136



Half splayed - See page 143

COVENTRY WHITE PRIMED

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 686 x 35mm / 44mm	2040 x 726 x 40mm
1981 x 762 x 35mm / 44mm	2040 x 826 x 40mm
1981 x 838 x 35mm / 44mm	2040 x 926 x 40mm

GLAZED OPTION

Available with clear toughened glass or frosted glass

SIZES

1981 x 610 x 35mm	2040 x 726 x 40mm *
1981 x 686 x 35mm	2040 x 826 x 40mm *
1981 x 762 x 35mm	* Clear glazed only
1981 x 838 x 35mm	

Fire door option. Fire doors are 44mm thick.



WHITE PRIMED / DENVER



Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Denver finished with Ivory



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Augustus - See page 136



Half splayed - See page 143

WHITE PRIMED / DENVER

DENVER WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm 2040 x 726 x 40mm
- 1981 x 686 x 35mm / 44mm 2040 x 826 x 40mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass or frosted glass

SIZES

- 1981 x 610 x 35mm*
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

* Clear glazed only

Fire door option. Fire doors are 44mm thick.



WHITE PRIMED / ELY


Available in

PAGE 30

P FINISH

FD30

10 WARRANTY



Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Ely finished with Mist

WHITE PRIMED / ELY



Featured skirting and architrave - Half splayed, white primed




SUGGESTED ACCESSORIES

Augustus - See page 136

Half splayed - See page 143

ELY WHITE PRIMED

 Bespoke glazing options available with this door.


SOLID OPTION


- SIZES**
- 1981 x 610 x 35mm / 44mm
 - 1981 x 686 x 35mm / 44mm
 - 1981 x 762 x 35mm / 44mm
 - 1981 x 838 x 35mm / 44mm
 - 2040 x 626 x 40mm / 44mm
 - 2040 x 726 x 40mm / 44mm
 - 2040 x 826 x 40mm / 44mm

GLAZED OPTION

Available with clear toughened glass

- SIZES**
- 1981 x 610 x 35mm / 44mm
 - 1981 x 686 x 35mm / 44mm
 - 1981 x 762 x 35mm / 44mm
 - 1981 x 838 x 35mm / 44mm

 Fire door option. Fire doors are 44mm thick.

 Solid FD30 doors acoustic tested up to 31dB



HUE
by Déanta



WHITE PRIMED / ETON

Available in



P FINISH **FD30** **10** WARRANTY

Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Eton finished with Duck Egg

WHITE PRIMED / ETON



Featured skirting and architrave - Half splayed, white primed



SUGGESTED ACCESSORIES



Invictus - See page 136



Shaker - See page 143

ETON WHITE PRIMED

SOLID OPTION

SIZES

1981 x 610 x 35mm / 44mm	2040 x 626 x 40mm
1981 x 686 x 35mm / 44mm	2040 x 726 x 40mm
1981 x 762 x 35mm / 44mm	2040 x 826 x 40mm
1981 x 838 x 35mm / 44mm	2040 x 926 x 40mm

GLAZED OPTION

Available with clear toughened glass

SIZES

1981 x 610 x 35mm	2040 x 726 x 40mm
1981 x 686 x 35mm	2040 x 826 x 40mm
1981 x 762 x 35mm	
1981 x 838 x 35mm	

Fire door option. Fire doors are 44mm thick.



Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Madison finished with Black



Featured skirting and architrave - Half splayed, white primed



Augustus - See page 136

Ulysses - See page 143

MADISON WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear bevelled toughened glass

SIZES

- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



HUE
by Déanta



WHITE PRIMED / PAMPLONA

Available in

PAGE 50 PAGE 74



Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Pamplona finished with Duck Egg

WHITE PRIMED / PAMPLONA



Featured skirting and architrave - Half splayed, white primed



SUGGESTED ACCESSORIES

Augustus - See page 136

Half splayed - See page 143

PAMPLONA WHITE PRIMED



Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Solid FD30 doors acoustic tested up to 31dB



WHITE PRIMED / RAVELLO

Available in



Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Ravello finished with Midnight



Featured skirting and architrave - Shaker, white primed



SUGGESTED ACCESSORIES

Invictus - See page 136

Shaker - See page 143

WHITE PRIMED / RAVELLO

RAVELLO WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



WHITE PRIMED / ROCHESTER



Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Rochester finished with Midnight

WHITE PRIMED / ROCHESTER



Featured skirting and architrave - Victoriana, white primed



SUGGESTED ACCESSORIES

Augustus - See page 136

Victoriana - See page 143

ROCHESTER WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



HUE
by Déanta



WHITE PRIMED / SEVILLE

Available in
PAGE 54 PAGE 76

P FINISH
FD30
10 WARRANTY


Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Seville finished with Mocha



Featured skirting and architrave - Shaker, white primed




SUGGESTED ACCESSORIES

Augustus - See page 136

Shaker - See page 143

SEVILLE WHITE PRIMED

 Bespoke glazing options available with this door.

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 2032 x 813 x 35mm
- 1981 x 686 x 35mm / 44mm 2040 x 626 x 40mm
- 1981 x 762 x 35mm / 44mm 2040 x 726 x 40mm / 44mm
- 1981 x 838 x 35mm / 44mm 2040 x 826 x 40mm / 44mm


GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

 Fire door option. Fire doors are 44mm thick.

 Solid FD30 doors acoustic tested up to 31dB

WHITE PRIMED / SEVILLE



HUE
by Déanta

WHITE PRIMED / WINDSOR

Available in

PAGE
64

P
FINISH

FD30

10
WARRANTY

Add a splash of colour to this door with Hue by Déanta. See page 80



Featured door - Windsor finished with Black

WHITE PRIMED / WINDSOR



Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Veritas - See page 136



Ulysses - See page 143

WINDSOR WHITE PRIMED

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened bevelled glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.



ASH COLLECTION

FEATURES

- + Real ash veneers
- + Crown cut veneer
- + 32mm can be taken off the width and height of standard doors
- + Refer to our website for details on trimming fire doors
- + Clear toughened glass
- + Solid core
- + Prefinished
- + Covered by the Déanta 10 year warranty
- + FSC® certified timber
- + Bespoke sizes available



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Half splayed, white primed



Fortuna - See page 136

Half splayed - See page 143

MONTREAL PREFINISHED DARK GREY ASH

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🔵
- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm / 44mm 🔵
- 2040 x 826 x 40mm / 44mm 🔵
- 2040 x 926 x 40mm / 44mm 🔵

🔴 Fire door option. Fire doors are 44mm thick.

🔵 Solid FD30 doors acoustic tested up to 31dB

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm

🔵 Certifire-approved & BM TRADA Q-Mark

🔴 Bespoke glazing options available with this door.





LIGHT GREY ASH / MONTREAL

LIGHT GREY ASH / MONTREAL



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Victoriana, white primed



Fortuna - See page 136

Half splayed - See page 143

MONTREAL PREFINISHED LIGHT GREY ASH

SOLID OPTION

GLAZED OPTION

Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm / 44mm 🔵
- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm / 44mm 🔵
- 2040 x 626 x 40mm 🔵
- 2040 x 726 x 40mm / 44mm 🔵
- 2040 x 826 x 40mm / 44mm 🔵

SIZES

- 1981 x 686 x 35mm / 44mm 🔵
- 1981 x 762 x 35mm / 44mm 🔵
- 1981 x 838 x 35mm 🔵
- 2040 x 726 x 40mm 🔵
- 2040 x 826 x 40mm 🔵



🔴 Fire door option. Fire doors are 44mm thick.

🔵 Certifiere-approved & BM TRADA Q-Mark



Bespoke glazing options available with this door.

🔊 Solid FD30 doors acoustic tested up to 31dB



Available in

PAGE 58



SORRENTO



Featured skirting and architrave - Half splayed, white primed



Featured skirting and architrave - Half splayed, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 136



Half splayed - See page 143

SORRENTO PREFINISHED LIGHT GREY ASH

SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION


Available with clear toughened glass

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm
- 1981 x 762 x 35mm
- 1981 x 838 x 35mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark



Featured skirting and architrave - Shaker, white primed



Featured skirting and architrave - Shaker, white primed

SUGGESTED ACCESSORIES



Fortuna - See page 136



Shaker - See page 143

TORINO PREFINISHED LIGHT GREY ASH

SOLID OPTION

SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

GLAZED OPTION

Available with clear toughened glass


SIZES

- 1981 x 610 x 35mm
- 1981 x 686 x 35mm / 44mm
- 1981 x 762 x 35mm / 44mm
- 1981 x 838 x 35mm / 44mm

Fire door option. Fire doors are 44mm thick.

Certifire-approved & BM TRADA Q-Mark

Bespoke glazing options available with this door.





DÉANTA ARCHITECTURAL



dēanta

ARCHITECTURAL

Our latest Architectural range offers our customers an extensive choice of internal doors, aperture options and glazing types providing maximum flexibility when creating their ideal door.


All customisations to our doors - aperture cutting and glass fitting - are completed in our very own specialist Joinery & Glazing Centre in Cambridgeshire. This service allows us to significantly cut down the lead time for glazing, ensuring that project deadlines are met and the product is delivered with the exceptional quality that our customers have come to expect from Déanta.

Please note: All doors in the Architectural range feature 6mm lippings.

ORDERING SIMPLIFIED

We understand that each customer is unique, with differing requirements, specifications and tastes.

To make selecting the desired door as simple as possible we have developed a streamlined four-step guide designed to ensure a quick and efficient process.



ASK YOUR MERCHANT FOR A COPY OF THE LATEST DÉANTA ARCHITECTURAL BROCHURE TODAY

Flush White Primed



IMPERIAL SIZES

- 914 x 1981 ●●
- 864 x 1981
- 838 x 1981 ●●
- 813 x 2032
- 762 x 1981 ●●
- 711 x 1981
- 686 x 1981 ●●
- 610 x 1981 ●●
- 533 x 1981 ●●
- 457 x 1981 ●●

METRIC SIZES

- 926 x 2040 ●●
- 826 x 2040 ●●
- 726 x 2040 ●●
- 626 x 2040 ●●
- 526 x 2040
- 426 x 2040

- Stocked standard door
- Stocked FD30
- Stocked FD60




Door 155



Door 128




Door 166/O



Featured door: Architectural door 152

APERTURE OPTIONS



We can offer any style of glazing through our bespoke glazing service. Please contact us or your local agent for more details.

Please note: Options 03, 04 and 05 not available with 60 minute rated fire glass.

GLAZING OPTIONS

30 MINUTE CLEAR GLAZING



SATIN GLAZING



WIRED GLAZING



60 MINUTE CLEAR GLAZING



CERTIFIRE



Certifire is a UKAS accredited, independent third-party product certification scheme operated by Warringtonfire Testing and Certification Limited. FD30 doors certified to the Certifire scheme are clearly identified as such on each product page.



Featured door: Architectural door D102 with glazing option 10



HARDWARE

We now offer a range of stylish internal hardware to complement our doors. From handles to hinges and locks to latches, whatever your taste, we have something for you.

AUGUSTUS Matt / Polished Chrome

KEY FEATURES


- + 50mm x 8mm sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty



FORTUNA Satin

KEY FEATURES

- + 50mm x 8mm sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty



HADRIAN Matt Satin Black

KEY FEATURES

- + 50mm x 8mm square sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty



INVICTUS Matt Satin Black

KEY FEATURES

- + 50mm x 8mm square sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty



VERITAS Polished Chrome

KEY FEATURES

- + 50mm x 8mm sprung rose
- + Suitable for 35mm and 44mm doors
- + 10 year warranty



STEEL HINGES Radius / Square



KEY FEATURES

- + 76 x 50 x 2mm
- + BN EN 1935

STEEL HINGES Radius / Square



KEY FEATURES

- + 102 x 76 x 3mm
- + BN EN Grade 13
- + Certifire-rated

SASH LOCK Radius / Square



KEY FEATURES

- + 3 lever mortice
- + 2.5"
- + Satin nickel finish
- + Certifire-rated

BATHROOM LOCK Radius / Square



KEY FEATURES

- + 3 lever mortice
- + 2.5"
- + Satin nickel finish
- + Certifire-rated

LATCH Radius / Square



KEY FEATURES

- + Radius / square tubular
- + Satin nickel finish
- + Certifire-rated

THUMB-TURN LOCKS

Matt / Polished Chrome / Satin



MATT / POLISHED CHROME FINISH



POLISHED CHROME FINISH



SATIN FINISH



MATT SATIN BLACK FINISH

3" SIGNS

Steel



FIRE DOOR KEEP CLEAR



FIRE DOOR KEEP SHUT



PULL SIGN



PUSH SIGN



DISABLED PICTOGRAM



MALE PICTOGRAM



FEMALE PICTOGRAM



UNISEX PICTOGRAM

HARDWARE PACKS



Some pack elements are CERTIFIRE rated, these are identified in blue text below. Please note this does not apply to the entire pack.

BATHROOM KIT

- + HANDLE SET
- + STEEL SQUARE HINGE SET (102 x 76 x 3mm) 3PK
- + 3 LEVER BATHROOM LOCK
- + THUMB-TURN LOCK



BATHROOM KIT

- + HANDLE SET
- + STEEL SQUARE HINGE SET (76 x 50 x 2mm) 3PK
- + 3 LEVER BATHROOM LOCK
- + THUMB-TURN LOCK



LATCH KIT


- + HANDLE SET
- + STEEL SQUARE HINGE SET (102 x 76 x 3mm) 3PK
- + SQUARE TUBULAR LOCK



LATCH KIT

- + HANDLE SET
- + STEEL SQUARE HINGE SET (76 x 50 x 2mm) 3PK
- + SQUARE TUBULAR LOCK





SKIRTING & ARCHITRAVE

Half Splayed Oak



Also available in walnut

Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)
 Architrave: 90mm x 16mm
 Door lining set: 133mm / 108mm x 30mm (removable stop included)
 Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ Real American white oak veneer
- ▶ Prefinished
- ▶ MDF core



Shaker Oak



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)
 Architrave: 80mm x 16mm
 Door lining set: 133mm / 108mm x 30mm (removable stop included)
 Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ Real American white oak veneer
- ▶ Prefinished
- ▶ MDF core



Half Splayed White Primed



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)
 Architrave: 90mm x 16mm
 Door lining set: 133mm / 108mm x 30mm (removable stop included)
 Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ White primed
- ▶ MDF core



Shaker White Primed



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)
 Architrave: 80mm x 16mm
 Door lining set: 133mm / 108mm x 30mm (removable stop included)
 Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ White primed
- ▶ MDF core



Traditional Oak



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)
 Architrave: 80mm x 16mm
 Door lining set: 133mm / 108mm x 30mm (removable stop included)
 Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ Real American white oak veneer
- ▶ Prefinished
- ▶ MDF core




Shaker Walnut



Skirting: 3.6M x 145mm x 16mm (Sold in packs of four)
 Architrave: 80mm x 16mm
 Door lining set: 133mm / 108mm x 30mm (removable stop included)
 Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ Real American black walnut veneer
- ▶ Prefinished
- ▶ MDF core



Ulysses White Primed



Skirting: 3.6M x 145mm x 18mm (Sold in packs of four)
 Architrave: 90mm x 18mm
 Door lining set: 133mm / 108mm x 30mm (removable stop included)
 Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ White primed
- ▶ MDF core



Victoriana White Primed



Skirting: 3.6M x 180mm x 18mm (Sold in packs of four)
 Architrave: 100mm x 18mm
 Door lining set: 133mm / 108mm x 30mm (removable stop included)
 Fire-rated set includes 15mm x 4mm Lorient fire seal

Features

- ▶ White primed
- ▶ MDF core





FIRE & ACOUSTIC




ACOUSTIC




A number of our FD30 doors have been acoustically tested to 31dB. These doors comply with Part E of the Building Regulations when fitted with the appropriate seals including an automatic drop seal at the threshold.

The doors that are acoustically tested are identified on the product pages.


 Solid FD30 doors acoustic tested up to 31dB



BATWING®
acoustic + smoke seal



LAS8001 SI
Drop Seal



DS
acoustic, smoke + fire seal

FIRE GLAZING




As part of our commitment to being a one-stop shop for our customers' door needs, we now offer our own patented fire rated glass.

The glass has been extensively tested and accredited by Exova and satisfies all the safety needs required so you can be confident that your home and family are protected.



SYSTEM-36 PLUS
Intumescent glazing gasket



BATWING® & LAS8001 SI



FOLDING SYSTEMS



Configuration: 2 + 0 | Featured door: Montréal dark grey ash glazed, page 116 | Skirting & Architrave: Shaker, white primed

FOLDING DOOR SYSTEMS

dēanta
FOLDING SYSTEMS

Our room divider solution which uses a high quality track to allow any of our doors to effortlessly glide across the system. Room dividers offer a vast array of different options to choose from. A room divider can bring that flexibility to a property that is not always afforded by merely using walls to separate rooms. Numerous configurations can be created to suit any home.

A complete off-the-shelf solution allowing you to quickly and easily install your chosen configuration. We have specially designed the track and bearings and put them through rigorous testing to ensure they can withstand the extra weight you would come to expect from a Déanta door. This ensures that your doors will effortlessly slide every single time, and will last for years to come.

For more information visit our website at:
www.deanta.co.uk



Configuration: 3 + 0 | Featured door: **Coventry walnut glazed**, page 70 | Skirting & Architrave: **Shaker**, white primed

CHOOSING YOUR SYSTEM

SELECT OPENING WIDTH AND CONFIGURATION

OPENING WIDTH		CONFIGURATIONS		
610MM	686MM			
1295MM	1447MM		2 + 0	
1908MM	2136MM		3 + 0	
1908MM	2136MM		2 + 1	
2521MM	2825MM		2 + 2	NEW
2521MM	2825MM		4 + 0	
2521MM	2825MM		3 + 1	

Please allow 10mm on outer frame width for recommended structural opening width.
Outer frame height can be adjusted between 2050mm and 2060mm dependent on flooring detail.
Linings are supplied oversize to allow them to be cut to suit.


CHOOSE YOUR DOOR



Fold offers you the freedom to choose any door from the Déanta range to achieve the look you want. The doors above are the most popular choices for the system. We supply door linings in oak, walnut and primed to match any door you choose for your folding system.



SLIDING SYSTEMS



Featured door: Ely white primed, page 98 | Skirting & Architrave: Half Splayed, white primed

SLIDING DOOR SYSTEMS

dēanta
— SLIDING SYSTEMS —

Our pocket door system is the perfect solution where there is not much space available, such as kitchens or bathrooms. Concealing internal sliding doors within the wall cavity has a significant impact on both usable space and perceived available space, making rooms more flexible and feeling lighter and airier.

Additionally, you can also get a double pocket door system using two pocket doors installed side by side. Designed to work in partition walls, each pocket door kit comes with a pre-assembled aluminium track and header mechanism.

Our pocket door kit is compatible with the majority of Déanta doors and includes all the hardware that you'll need, no surprises!

In particular, the door jambs included in our pack, will provide the finishing touch that you need in order to conceal the sliding system.

Furthermore, the under door profile provided allows a stable and smooth sliding.

Our pocket door system can be upgraded with add-ons such as a soft close, a self closing kit or a bathroom lock.

For more information visit our website at:
www.deanta.co.uk



Featured door: Montreal light grey ash, page 118 | Skirting & Architrave: Shaker, white primed

SIZING & FEATURES

SIZING

DOOR SIZE (MM)	SINGLE DOOR		DOUBLE DOOR NEW	
	OPENING (MM)	OVERALL DIMENSIONS (MM)	OPENING (MM)	OVERALL DIMENSIONS (MM)
1981 x 686 x 35	660 x 1970	1470 x 2060	1320 x 1970	2830 x 2060
1981 x 762 x 35	740 x 1970	1650 x 2060	1480 x 1970	3190 x 2060
1981 x 838 x 35	810 x 1970	1720 x 2060	1620 x 1970	3330 x 2060
2040 x 726 x 40	700 x 2030	1510 x 2120	1400 x 2030	2910 x 2120
2040 x 826 x 40	800 x 2030	1710 x 2120	1600 x 2030	3310 x 2120

FEATURES

- + Recessed straight into a partition wall
- + Under door profile
- + Round flush pull handle with a satin chrome finish
- + Door jambs included
- + Covered by the Déanta 10 year warranty

ADD-ONS

- + Soft close
- + Bathroom lock
- + White primed architrave
- + Simultaneous closer for double door system



We have sensor lighting throughout our site to ensure that no power is wasted when not in use.



We are certified by the Forest Stewardship Council® (FSC®)



98% of all our onsite waste is recycled.



We use mains water dispensers to reduce the use of plastic bottles and help the environment.



The solar panels on our building create enough energy to make our building self-sustainable for seven months.



The mark of responsible forestry

BEING RESPONSIBLE

In an age where there is continued depletion of natural resources, companies throughout the world have shifted priorities to become more environmentally aware. At Déanta, we have realised how our operations can impact the environment so we are investing heavily to become more environmentally responsible. Throughout the business we are working to reduce our carbon footprint, helping to protect our planet and ensuring we have a positive impact on our society, economy and environment. We are always looking at ways we can reduce, reuse and recycle the resources we use. We apply environmentally friendly practises to both our offices and the supply chain:

- 98% of all our onsite waste is recycled. We have recycling bins throughout the site including in our staff canteens, to make sure all Déanta employees are doing their bit for the planet.
- We have installed solar panels on the roof of our building which creates enough energy to make our building self-sustainable for seven months.
- We use mains water dispensers to reduce the use of plastic bottles and help the environment.
- All our timber is sourced from North American forests with sound environmental forest management schemes. These schemes ensure the forests biodiversity, productivity and ecological processes as well as protecting the rights of local people.
- We are certified by the Forest Stewardship Council® (FSC®) and all of our prefinished doors are made from FSC® certified material, reducing our carbon footprint.
- We have sensor lighting and taps throughout our site to help us ensure that no power or water is wasted.

IMPORTANT INFORMATION

We offer a limited ten year warranty on all our doors. Any Déanta door that warps* or splits will be covered by our warranty once the installation has met all guidelines. Please note colour variance in the wood is not considered a manufacturing fault as it is a natural product.

THE FOLLOWING MUST BE CARRIED OUT TO ENSURE THE BEST PERFORMANCE FROM YOUR DÉANTA DOOR

- All doors must be examined immediately on receipt and prior to installation as claims or faults will not be accepted once the door has been installed or altered. This excludes manufacturing faults that occur after hanging.
- Doors must be stored horizontally on a clean, dry, flat and level surface.
- Doors must not be fitted in a house that is freshly plastered and doors should only be delivered to site after all wet trades are finished and sufficiently dried. A moisture reading taken by an engineer must be recorded.
- For doors to acclimatise, they should be left in the house prior to installation for at least seven days with the ambient temperature gradually increased over this period.
- Should a door require alteration, cutting or planing, it must be immediately revarnished to prevent moisture absorption which may lead to warping or splitting.
- Take no more than 32mm** off the width and height of doors in equal amounts on all edges.
- Planed edges of prefinished doors must be refinished using three coats of internal wood finish.
- Three coats of internal wood finish are required on unfinished doors and on any modifications to a prefinished door including the ironmongery and hinge cut-outs.
- We recommend the use of three hinges per door.
- We recommend varnish and lacquers that are suitable for interior joinery. If using oils please contact Déanta for recommended brands.
- Ten year warranty on hardware (handles and locks) refers to mechanical faults. General wear and tear from use is not covered by this warranty.

UNDER OUR WARRANTY, OUR LIABILITY IS LIMITED TO REPLACING THE DOOR AND NO LIABILITY IS ACCEPTED FOR ANY CONSEQUENTIAL COSTS. ALTERATION OF A DÉANTA DOOR WILL VOID THE WARRANTY.

* Warp/bow/cup/twist (as set out in the relevant British Standard) shall not be considered a defect unless it exceeds 1/4 inch (6.35mm) in the plane of the door itself. Warp is any distortion in the door itself and does not refer to the relationship of the door to the frame or jamb in which it is hung.

** Refer to our website for details on trimming fire doors.

For more information on our warranty and for full terms and conditions please visit our website at: www.deanta.co.uk.

STOCKISTS

We have stockists throughout the UK. To find your nearest retailer please visit our website.

