

atlantic uk
architectural hardware



Ermetika[®]

INSIDE WALLS

Minimal Interiors | Hidden Doors | Skirting Innovation | Pocket Doors | Space Saving

01423 882 199 | www.atlanthandles.com | sales@atlanticgb.com

Minimal Interiors

In minimalist design, every detail matters, and sometimes what you don't see makes the biggest impact. Our collection of pocket doors, frameless swing doors and flush skirting boards is designed to bring a seamless, understated elegance to modern interiors.

Discreet and modern, pocket doors slide into the wall cavity, creating uninterrupted surfaces and effortless transitions between rooms.

Our frameless swing doors are designed to sit flush with the wall, creating a clean, seamless aesthetic when closed and a sharp, architectural reveal when open.

Our flush skirting board system sits level with the wall, creating a smooth, continuous surface that elevates even the simplest space.



• **ABSOLUTE RUSH**

Flush skirting board system

- Suitable for all Ermetika systems, both sliding and swing.
- Seamless aesthetic result matching frameless systems.
- No more dust on the skirting board..
- Freedom to furnish close to the wall, maximising space.

Find out more on pages 3-4.



xREVERx .

Frameless reversible swing door

xREVERx is a flush reversible hinged door system that combines versatility and sleek aesthetics. It includes both door and frame, and can be fully customised to meet your construction needs.

The system is reversible, allowing the door to be fitted as opening from the left or right and with a push or pull motion, simply by rotating the frame. It is available in standard dimensions and can be installed in both plastered and plasterboard walls.

Free from visible jambs and architraves, xREVERx offers a minimalist look and maximum freedom in decorative choices - ideal for modern interiors that value both function and design.



Find out more on pages 6-7.



ABSOLUTE RUSH

Flush skirting board system

Our Absolute Rush innovative skirting system is a sleek, seamless solution that sits perfectly flush with your walls for a clean, modern finish. Use with skirtings made from wood, aluminium, or aluminium with profiles for LED lighting for added ambiance, this innovative system combines aesthetic minimalism with architectural precision to elevate any space.



- A.** Edge Brackets
- B.** Linear Connectors
- C.** Outwards 90° Angle Connector
- D.** Inwards 90° Angle Connector
- E.** Stairs Angle Connector



FLUSH SKIRTING BOARD



FLUSH SKIRTING BOARD WITH LED

ABSOLUTE RUSH Product Codes:


EPBSB(1)	Ermetika Absolute Rush Flush Skirting Aluminium Profile (2m piece)
EACC507(1)	Ermetika Absolute Rush Edge Brackets
EACC503(1)	Ermetika Absolute Rush Linear Connectors
EACC504(1)	Ermetika Absolute Rush Inwards 90 Degree Angle Connector
EACC505(1)	Ermetika Absolute Rush Outwards 90 Degree Angle Connector
EACC506(1)	Ermetika Absolute Rush Stairs Angle Connector
EPBS(1)	Ermetika Absolute Rush Flush Aluminium Skirting Board (2m piece)
EPBSL(1)	Ermetika Absolute Rush Flush Aluminium Skirting Board with LED (2m piece)



xREVERx

Frameless reversible swing door


3-4 day lead time



Features:

- Minimal profile allows for plaster finish right up to the edge of the door, creating a frameless architrave free appearance.
- Push, pull, left or right. The reversible system offers a single solution for all applications.
- Can be fitted to timber, metal or masonry walls.
- Door is supplied pre finished in white B011 – ready to paint or wallpaper.
- Soundproof 25 dB acoustic insulation performance.

DOOR OPENING RANGE





SPECIAL ORDER:

xREVERx XL

Large frameless reversible
swing door

6 week lead time

Door Size (w x h)	Product Code
613 x 2103mm	EXRS3
713 x 2103mm	EXRS6
813 x 2103mm	EXRS9
913 x 2103mm	EXRS12
613 x 2394mm	EXRS39
713 x 2394mm	EXRS42
813 x 2394mm	EXRS45
913 x 2394mm	EXRS48

Product Information:

- 2 door cores types:
 - Honeycomb Core: 1964mm height, 44mm thickness, option of 600/700/800/900mm width
 - Chipboard Core: 2024mm height, 44mm thickness, option of 600/700/800/900mm width
- Door has predrilled lock cut out (for 50mm backset).
- Frame comes with strike plate & hinges cut out.
- Faces of the door are totally plain – no cut outs. Customer cuts out for the handles on site.
- The door comes supplied with the lock, strike plate and hinges (3x Anselmi Concealed Hinges for 40kg door, 1x AGB Polaris 2XT Bathroom Lock in Satin Chrome with strike plate).
- Upgrade pack options are available for Bathroom Lock, Euro Lock and Key Sashlock. Antique Brass & Bronze finishes are also available, however without matching finish strike plates.

xREVERx Product Codes:

Passage Size (w x h)	Door Size (w x h)	Overall Kit Size (w x h)	Product Code
600 x 1970mm	613 x 1964mm	690 x 2000mm	EXRSMY3
700 x 1970mm	713 x 1964mm	790 x 2000mm	EXRSMY9
800 x 1970mm	813 x 1964mm	890 x 2000mm	EXRSMY15
900 x 1970mm	913 x 1964mm	990 x 2000mm	EXRSMY21
600 x 2030mm	613 x 2024mm	690 x 2060mm	EXRSFR19
700 x 2030mm	713 x 2024mm	790 x 2060mm	EXRSFR23
800 x 2030mm	813 x 2024mm	890 x 2060mm	EXRSFR27
900 x 2030mm	913 x 2024mm	990 x 2060mm	EXRSFR31

Upgrade Lock Packs Product Codes:

AGB2XTWC50MB-ALU	AGB Polaris 2XT Magnetic Bathroom Lock 50mm backset with strike plates for ALU doors - Matt Black
AGB2XTWC50WH-ALU	AGB Polaris 2XT Magnetic Bathroom Lock 50mm backset with strike plates for ALU doors - White
AGB2XTE50MB-ALU	AGB Polaris 2XT Magnetic Euro Profile Sashlock 50mm backset with strike plates for ALU doors - Matt Black
AGB2XTE50SC-ALU	AGB Polaris 2XT Magnetic Euro Profile Sashlock 50mm backset with strike plates for ALU doors - Satin Chrome
AGB2XTE50WH-ALU	AGB Polaris 2XT Magnetic Euro Profile Sashlock 50mm backset with strike plates for ALU doors - White
AGB2XTLK50MB-ALU	AGB Polaris 2XT Magnetic Key Sashlock 50mm backset with strike plates for ALU doors - Matt Black
AGB2XTLK50SC-ALU	AGB Polaris 2XT Magnetic Key Sashlock 50mm backset with strike plates for ALU doors - Satin Chrome
AGB2XTLK50WH-ALU	AGB Polaris 2XT Magnetic Key Sashlock 50mm backset with strike plates for ALU doors - White



EVOKIT

Pocket door kit

EvoKit is a traditional framed pocket door system. Unlike other pocket door systems in the market, the EvoKit has galvanized steel and aluminium construction, making it strong and durable.

Installation is fast and accurate thanks to its snap-fit assembly system. *Note: 100kg door capacity.*



EVOKIT Product Codes:

EVOKIT Product Codes:			Product Code*	
Passage Size (w x h)	Door Size (w x h)	Overall Kit Size (w x h)	100mm wall thickness	125mm wall thickness
580 x 1970mm	610 x 1981mm	1290 x 2060mm	EEK1DR(finish)	EEK2DR(finish)
660 x 1970mm	686 x 1981mm	1470 x 2060mm	EEK1FR(finish)	EEK2FR(finish)
740 x 1970mm	762 x 1981mm	1650 x 2060mm	EEK1GR(finish)	EEK2GR(finish)
810 x 1970mm	838 x 1981mm	1720 x 2060mm	EEK1HR(finish)	EEK2HR(finish)
890 x 1970mm	914 x 1981mm	1900 x 2060mm	EEK1ER(finish)	EEK2ER(finish)
600 x 2030mm	626 x 2040mm	1320 x 2110mm	EEK1JR(finish)	EEK2JR(finish)
700 x 2030mm	726 x 2040mm	1510 x 2120mm	EEK1AR(finish)	EEK2AR(finish)
800 x 2030mm	826 x 2040mm	1710 x 2120mm	EEK1BR(finish)	EEK2BR(finish)
900 x 2030mm	926 x 2040mm	1910 x 2120mm	EEK1CR(finish)	EEK2CR(finish)
1000 x 2030mm	1026 x 2040mm	2120 x 2110mm	EEK1KR(finish)	EEK2KR(finish)

*Available with Raw Wood (RW) or White (W) jambs

EVOKIT FIRE

Fire-rated pocket door kit

The innovative pocket door system by Ermetika that is also fire resistant. Matched with an E.I.30 door it slows or limits the propagation of flames in the environment it is installed, raising safety and complying with fire regulations. *Note: 100kg door capacity.*



EVOKIT FIRE Product Codes:

Passage Size (w x h)	Door Size (w x h)	Overall Kit Size (w x h)	Product Code
635 x 1960mm	686 x 1981mm	1470 x 2062mm	EEFSCUK3
655 x 1960mm	711 x 1981mm	1490 x 2062mm	EEFSCUK4
715 x 1960mm	762 x 1981mm	1650 x 2062mm	EEFSCUK5

Fully tested and approved to BS EN 1634-1:2009 by Exova Warrington fire & UNI EN 13501-2:2016.



ABSOLUTE EVOKIT

Frameless pocket door kit

Absolute EvoKit is a **no architrave frameless pocket door kit**. With no trims required, it creates a seamless look with your finished wall. Ideal for those who want to create minimal design solutions with unique ease and convenience. This kit allows for the ultimate modern look, with the door blending into the surrounding walls. The cavity sliding door system provides a modern aesthetic as well as letting you save precious floor space. *Note: 100kg door capacity.*

ABSOLUTE EVOKIT Product Codes:

Passage Size (w x h)	Door Size (w x h)	Overall Kit Size (w x h)	Wall Thickness	Product Code
580 x 1990mm	610 x 1981mm	1300 x 2050mm	100mm	EAESCUK1
660 x 1990mm	686 x 1981mm	1480 x 2050mm	100mm	EAESCUK5
740 x 1990mm	762 x 1981mm	1660 x 2050mm	100mm	EAESCUK9
810 x 1990mm	838 x 1981mm	1730 x 2050mm	100mm	EAESCUK15
700 x 2050mm	726 x 2040mm	1520 x 2110mm	100mm	EAESC137
800 x 2050mm	826 x 2040mm	1720 x 2110mm	100mm	EAESC139
900 x 2050mm	926 x 2040mm	1920 x 2110mm	100mm	EAESC141
580 x 1990mm	610 x 1981mm	1300 x 2050mm	125mm	EAESCUK2
660 x 1990mm	686 x 1981mm	1480 x 2050mm	125mm	EAESCUK6
740 x 1990mm	762 x 1981mm	1660 x 2050mm	125mm	EAESCUK10
810 x 1990mm	838 x 1981mm	1730 x 2050mm	125mm	EAESCUK16
700 x 2050mm	726 x 2040mm	1520 x 2110mm	125mm	EAESC138
800 x 2050mm	826 x 2040mm	1720 x 2110mm	125mm	EAESC140
900 x 2050mm	926 x 2040mm	1920 x 2110mm	125mm	EAESC142

WHY CHOOSE A POCKET DOOR?

SPACE SAVING

Pocket doors create more space within a room as well as making a design statement! They can also aid in creating a more accessible space as pocket doors create a larger, safer space for wheelchair users.

AESTHETICALLY PLEASING

Elevating interior spaces, pocket doors are the perfect choice for creating a modern and stylish look, whether you opt for a sleek frameless pocket door system or a more traditional framed design.

WHY CHOOSE ERMETIKA?

STRENGTH & DURABILITY

Evokits have excellent structural strength with strong metal door frames, and horizontal reinforcements.

FLEXIBLE & EASY TO SET UP

The kits can easily be adjusted for different wall sizes. The clear fixing points of the system and helpful floor guide allow quick and easy integration.

FUNCTIONALITY

They are specifically engineered to provide smooth, fluid movement while ensuring silent sliding during operation.



SPECIAL ORDER:

ABSOLUTE SMART . . .


Hidden storage panels

6 week lead time, bespoke made, custom sizes.

Transform unused wall space into discreet storage space, perfect for hiding unused clutter or unsightly fittings, while also offering practical hidden storage that is easy to access. With precision-fit hinges and push-to-open magnetic latches, it sits perfectly flush with your wall for a seamless look. Available in customisable sizes, and with an optional smart-lock upgrade, it's the ideal way to keep functional but unattractive fixtures out of sight.

Features:


- Door is an MDF wood panel, 19mm thickness.
- 110° opening angle.
- Reinforcement bar supplied with doors higher than 1800mm and wider than 600mm
- Additional options that can be purchased along side:
 - Magnetic Push openers
 - Spare Tilt & Turn Fittings
 - Cylinder and Key Lock



Vertical Cupboard
Overall Dimensions

4 sided:
Length: 370mm - 770mm
Height: 370mm - 2170mm

4 sided Double Door:
Length: 670mm - 1470mm
Height: 370mm - 2170mm



Vertical Cupboard
Overall Dimensions

3 sided:
Length: 370mm - 570mm
Height: 335mm - 1235mm

3 sided Double Door:
Length: 670mm - 1070mm
Height: 335mm - 1235mm

Note: Any size available from stated ranges above.



Horizontal Cupboard

Overall Dimensions
Length: 300mm - 2100mm
Height: 300mm - 500mm


Ceiling Loft Hatch Door

Overall Dimensions
Length: 300mm - 500mm
Height: 300mm - 500mm

Note: Any size available from stated ranges above.

Please get in touch with us to let us know the specific dimensions and we can supply a quote. Alternatively, visit our website on the QR code below and fill in the enquiry page.





SPECIAL ORDER:

EVOKIT STAFFETTA

Sliding telescopic pocket doors kit

6 week lead time

This telescopic pocket door kit holds two parallel sliding doors that move together into the same wall pocket using a synchronised sliding system. Perfect for maximising light and space, it offers a clean, modern way to bring continuity and openness to any interior.

180mm Wall thickness / Internal cavity – 135mm / Suitable to stud or brick wall of 150mm / Max door thickness 45mm / 100kg door capacity. The panels protrude from the frames. Ermetika Staffetta Door Synchronisation kit also available.

EVOKIT STAFFETTA Product Codes:

Passage Size (w x h)	Door Size (w x h)	Overall Kit Size (w x h)	Product Code
1140 X 1970mm	610 x 1981mm	1865 x 2060mm	ESSCUK1
1290 x 1970mm	686 x 1981mm	2115 x 2060mm	ESSCUK4
1450 x 1970mm	762 x 1981mm	2375 x 2060mm	ESSCUK7
1600 x 1970mm	838 x 1981mm	2525 x 2060mm	ESSCUK11
1370 x 2030mm	726 x 2040mm	2195 x 2120mm	ESSCUK6
1570 x 2030mm	826 x 2040mm	2495 x 2120mm	ESSCUK10
1770 x 2030mm	926 x 2040mm	2795 x 2120mm	ESSCUK14



ACCESSORIES

Self-closing

EACC311 | Ermetika Evokit Self Closer for Single door - Classic Kit Only

Soft Closing

This is an extra component that is added into the exiting frame to create the soft close feature.

EACC305 | Ermetika EvoKit Easy-Stop Soft Closing Kit for EvoKit 40kg

EACC334 | Ermetika Easy-Stop Soft Opening & Closing Kit for Evokit & Absolute Evokit - Max 50kg Door

Junction Kit

Extra track/system which is added into the frame to create the door into a double pocket door. Works with EvoKit only.

EACC313 | Ermetika EvoKit Junction Kit For Double Pocket Door - EVOKIT ONLY

Simultaneous Opening Kit

Ermetika's Simultaneous Opening Kit allows the simultaneous opening of the two doors by opening just one door. The tension mechanism creates a fluid movement of all the doors.

EACC309 | Ermetika EvoKit Simultaneous Opening Kit For Double Doors

Trolley Set

A spare trolley set - one is included in kits as standard.

ERIC901 | Ermetika EvoKit Spare Complete Trolley Set 100kg Capacity

ERIC902 | Ermetika EvoKit Spare Complete Trolley Set 120kg Capacity



atlantic uk
architectural hardware

Ermetika
INSIDE WALLS