



Green Drain[™]

WATERLESS DRAIN TRAP SEAL

PROTECTS
FROM:



VIRUSES



BACTERIA



PESTS



GASES



ODORS

Stop Floor Drain Odours, Pests, Gases & Pathogens. Preventative Maintenance.

Prevents pathogens, viruses,
bacteria, gases and pests from
infiltrating your work or living
spaces

Eliminates need for continuous
harsh chemicals, wasted water
and high utility bills caused by
dripping water from trap primers





Green Drain™

WATERLESS DRAIN TRAP SEAL

Provide A Barrier Between You & The Sewer.
UNPROTECTED DRAINS MAKE WAY
FOR GERMS, BUGS, & ODOURS.



Protect All Types of Floor Drains:

- Bathrooms
- Showers
- Laundry Rooms
- Basement
- Utility / Boiler Rooms
- Garages

Residential and Commercial Uses:

- Homes
- Schools
- Restaurants
- Healthcare Facilities
- Buildings
- Warehouses



The Green Drain Advantage:



Prevents Odors From Coming Up Your Drain



Stops Bugs From Entering Your home



Prevents Spread of Viruses & Bacteria



Protects from Dangerous Sewer Gases



Limits Minor Sewer Backups

Features:



Allows High Flow of Water Down Drain



Easy Install & Removal By Anyone In seconds



No Pliers, Wrench, Caulk Or Glue Needed



Retrofits Into Most Existing Drains



Green Drain™

WATERLESS DRAIN TRAP SEAL


GREEN DRAIN WORKS WHEN TRAP PRIMERS FAIL

New Construction:

- Used in floor drains to provide added protection against escaping sewer gases.
- Eliminates the need to repair/replace trap primers when they fail.
- Avoids need for continuous dripping water and high utility bills caused by trap primers.

Retrofit:

- Used in situations where trap primers were never installed.
- Protect from common trap primer failures.
- Provides added protection even if water service is shut off.
- Simple to install without breaking walls or floors.



Selected certificates



European Technical
Assessment: ETA-18/0536



HACCP Certificate number:
I-PE-891-GRE-RG-01



VA-Report number:
VA 2.47/20696



Licence No.: WM-022837




The Green Drain Solution:

Simple.

Effective.

Reliable.






Green Drain™


WATERLESS DRAIN TRAP SEAL

INSTALLATION GUIDE


1 Remove Grate




2 Insert Green Drain™





3 Recess 2" to 5" Into The Physical Pipe



4 Close Grate



5 Fasten Screws





Green Drain[™]

WATERLESS DRAIN TRAP SEAL

SPECIFICATIONS

Features: Five flexible silicone sealing ribs ensure easy installation into openings that have variations in size. The Green Drain will open to allow drainage and close when there is no water flow.

Specifications: Inline floor drain trap seal with UV resistant ABS plastic frame, silicone rubber sealing flapper and four flexible sealing ribs. CE-marked European according to Technical Assessment: ETA-18/0536 Tested and certified to the ASSE 1072-2007 Standard and listed with IAPMO and ICC-ES. Products are in compliance with the following code(s): Uniform Plumbing Code (UPC) National Plumbing Code of Canada. Certified to Watermark Level 2 WMTS-522:2018 for barrier type floor drain trap seal protection devices. HACCP certified in accordance with HACCP food safety standards.

Prevents

- Drain Odors
- Pest Infiltration
- Sewer/Radon Gas Infiltration
- Harmful Biologic Aerosols


Product Benefits

- Increases Indoor Air Quality
- Protects the Public Health
- Green Technology
- Helps in LEED Certification

Product Features

- One way drain valve
- Easy to install and remove
- Does not impair flow rate
- Does not impair plumbing maintenance
- Provides sewage back-flow protection
- Universal Plumbing Code Certified


Outer Anchoring




Quality ABS Housing



Silicone Skirt



Model no.	SIZE		CAPACITY
	Ø (mm)	Height (mm)	L/min.
GD2	50-58	51	45,4
GD3	75-85	51	128,7
GD35	89-100	51	193,0
GD4	102-110	51	276,3
GD5	120-135	51	276,3



SILICONE GASKET FLEXES .100" TO FIT DIAMETER

