

8 Colours



2 Finishes



2 Sizes



City Touchstone Glazed Ceramic and Porcelain

Wall and Floor Tiles



City Touchstone is available in two sizes, perfectly designed for easy installation.

Size



450 x 450mm

Thickness

450 x 450mm tiles in this range are 9.8mm thick.

Two finishes combine form and function.

Examples below are not to scale but have been enlarged to show detail:




Matt



Matt Structured

Eight colours offering a neutral and contemporary palette.





Stone \	White	PEI	I۷

Stone White				
Size	Finish			
	Matt	Matt Structured		
360 x 275mm	CTOIA	-		
450 v 450mm	CTOLE	_		



Soft Pebble PEI III

Soft Pebble		
Size	Finish	
	Matt	Matt Structured
360 x 275mm	CTO2A	-
450 x 450mm	CTO2F	-



Sand Dune PEI III

Sand Dune				
Size	Finish			
	Matt	Matt Structured		
360 x 275mm	СТОЗА	-		
450 x 450mm	CTO3F	=		



_			
D	oia	- M	iv

Beige Mix			
Size	Finish		
	Matt	Matt Structured	
360 x 275mm	-	CTOIL	



Greystone	PELL

Greystone			
Size	Finish		
	Matt	Matt Structured	
360 x 275mm	CTO5A	-	
450 x 450mm	CTO5F	_	



Natural Slate PEI II

Natural Slate		
Size	Finish	
	Matt	Matt Structured
360 x 275mm	CTO4A	-
450 x 450mm	CTO4F	_



Blackrock

PEH

Blackrock				
Size	Finish			
	Matt	Matt Structured		
360 x 275mm 450 x 450mm	CTO6A CTO6F	-		



Grey Mix

Grey Mix			
Size	Finish		
	Matt	Matt Structured	
360 x 275mm	-	CTO2L	

Gentle muted tones and a large format size make **City Touchstone** the natural choice for any interior space.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

Specification

Size - 360 x 275mm

Wall	Floor	Wet barefoot	Material	Finish
Internal	-	-	Glazed Ceramic	Various

Size - 450 x 450mm

Wall	Floor	Wet barefoot	Material	Finish
Internal and external	Internal	-	Glazed Porcelain	Matt

Floor values			Shade	Wet ramp	
Colour	Pendulum 4S	R value	variation		Traffic
Stone White, Soft Pebble, Sand Dune	Dry 36+ Wet 25 - 35	-	V2	-	Light Commercial
All other colours	Dry 36+ Wet 25 - 35	-	V2	-	Domestic

Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, we suggest you refer to our website or call our technical helpline for the most up-to-date information.

Colour notations

Code	Colour	NCS	LRV
CTO6A/6F	Blackrock	8000-N	8
CTO5A/5F	Greystone	3502-Y	38
CTO4A/4F	Natural Slate	6005-Y20R	18
CTO3A/3F	Sand Dune	3010-Y30R	41
CTO2A/2F	Soft Pebble	2005-Y40R	54
CTO I A/I F	Stone White	1502-Y	64

Note : These results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value (Reflectance Y).

Due to the colour variance of CTO IL and CTO2L, an accurate Light Reflectance Value and colour notation cannot be accurately calculated. For further information, please contact our technical helpline.



Front cover image: City Touchstone Soft Pebble Matt and Beige Mix Matt Structured

Samples

Tel: +44 (0) 1782 524043 Fax: +44 (0) 1782 577379

Email: samples@johnson-tiles.com

Technical helpline

Tel: +44 (0) | 782 524 | | | | | Fax: +44 (0) | 782 577379

Email: techadvice@johnson-tiles.com

