


Modern

Un-glazed Porcelain
Wall and Floor Tiles



Modern is available in **two sizes**, perfectly designed for seamless installation.

Size



600 x 600mm




600 x 300mm

Thickness

All Natural finish tiles in this range are 10mm thick.
All Polished finish tiles are 9.5mm thick.

Mosaic

Sheet size 600 x 300mm




Mixed strips

MON1MM - Beige
(Basalt, Flax and Oyster
Natural and Polished Mix)


MON2MM - Grey
(Graphite, Slate and Moonstone
Natural and Polished Mix)

Two finishes combine form and function.

Examples below are not to scale but have been enlarged to show detail:



Natural




Polished

Seven colours offering a neutral and contemporary palette.



Basalt



Flax




Oyster




Ivory



Moonstone



Slate




Graphite



Basalt

Basalt

Size	Finish	
	Natural	Polished
600 x 300mm	MON01N	MON01P
600 x 600mm	MON01N	MON01P



Flax

Flax

Size	Finish	
	Natural	Polished
600 x 300mm	MON02N	MON02P
600 x 600mm	MON02N	MON02P



Oyster

Oyster

Size	Finish	
	Natural	Polished
600 x 300mm	MON03N	MON03P
600 x 600mm	MON03N	MON03P



Ivory

Ivory


Size	Finish	
	Natural	Polished
600 x 300mm	MON04N	MON04P
600 x 600mm	MON04N	MON04P



Moonstone

Moonstone


Size	Finish	
	Natural	Polished
600 x 300mm	MON05N	MON05P
600 x 600mm	MON05N	MON05P



Slate

Slate

Size	Finish	
	Natural	Polished
600 x 300mm	MON06N	MON06P
600 x 600mm	MON06N	MON06P



Graphite

Graphite

Size	Finish	
	Natural	Polished
600 x 300mm	MON07N	MON07P
600 x 600mm	MON07N	MON07P

Modern is a range of contemporary porcelain floor and wall tiles. Choose from seven calming neutral shades and two finishes – natural and polished.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

Specification

Size - All sizes

Wall	Floor	Wet barefoot	Material	Finish
Internal and external	Internal	-	Un-glazed Porcelain	Various

Floor values - Natural

Pendulum 4S	R value	Shade variation	Wet ramp	Traffic
Dry 36+ Wet 25 - 35	R10	V2	-	Commercial

Floor values - Polished

Pendulum 4S	R value	Shade variation	Wet ramp	Traffic
Dry 36+ Wet 0 - 24	-	V2	-	Commercial

Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, we suggest you refer to our website or call our technical helpline for the most up-to-date information.

Colour notations

Code	Colour	NCS	LRV
MON01N/IP	Basalt	7005-Y50R	12
MON02N	Flax	4010-Y50R	31
MON02P	Flax	5010-Y10R	24
MON07N	Graphite	8000-N	8
MON07P	Graphite	8500-N	6
MON04N/4P	Ivory	2005-Y30R	55
MON05N/5P	Moonstone	3005-Y50R	40
MON03N/3P	Oyster	2005-Y40R	54
MON06N	Slate	5502-Y	22
MON06P	Slate	6502-Y	16

Note: These results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value (Reflectance Y).

Front cover image: **Modern Slate and Graphite Natural with Grey Mixed Strips Mosaic**

Samples

Tel: +44 (0) 1782 524043
Fax: +44 (0) 1782 577379
Email: samples@johnson-tiles.com



Technical helpline

Tel: +44 (0) 1782 524111
Fax: +44 (0) 1782 577379
Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

© 2016 Johnson Tiles.
All rights reserved.
Printed in England.