

Kitemark™ Certificate

This is to certify that:

Polypipe Limited
(trading as Polypipe Building Products)
Neale Road
Off Wheatley Hall Road
Doncaster
DN2 4PG
United Kingdom

Holds Certificate Number:

KM 799484

In respect of:

**Regulation 4(1)(a) Kitemark
Regulation 4(1)(a) of The Water Supply (Water Fittings) Regulations 1999, The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009, and The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2023-11-30

Effective Date: 2025-09-18

Latest Issue: 2025-09-18

Expiry Date: 2028-03-09



Page: 1 of 28

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

The scope of this Certificate covers the following above ground products for use with hot and cold potable water.

Manufactured under the **Polypipe, Polyplumb, Polyfit, Polymax & Polysure** trade names to the requirements of BS 7291-1 and 2: 2010, system class 'S'.

Codes: (**Polyplumb** Grey – prefixed by "PB") / (**Polyplumb** White – prefixed by "PB" and suffixed by "EW") / (**Polyfit** – prefixed by "FIT") / (**Polymax** – prefixed by "MAX") / (**Polysure** – prefixed by "SUR")

Pipes:

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PB (length/OD) B	10, 12, 15, 18, 20, 22, 28	Grey Polybutylene Barrier Pipe	Push Fit	PB	PB & Brass fittings	12.5 bar @ 20°C 3 bar @ 95°C
FIT (length/OD) B	10, 12, 15, 18, 20, 22, 28	White Polybutylene Barrier Pipe	Push Fit	PB	PB & Brass fittings	12.5 bar @ 20°C 3 bar @ 95°C
PB (length/OD) B-BLUE	10, 15, 22, 28	Blue Polybutylene Barrier Pipe	Push Fit	PB	PB & Brass fittings	12.5 bar @ 20°C 3 bar @ 95°C
PB (length/OD) B-RED	10, 15, 22, 28	Red Polybutylene Barrier Pipe	Push Fit	PB	PB & Brass fittings	12.5 bar @ 20°C 3 bar @ 95°C
PB (length/OD)	10, 12, 15, 18, 20, 22, 28	Grey Polybutylene Standard Pipe	Push Fit	PB	PB & Brass fittings	12.5 bar @ 20°C 3 bar @ 95°C
PB (length/OD) BLUE	10, 15, 22, 28	Blue Polybutylene Standard Pipe	Push Fit	PB	PB & Brass fittings	12.5 bar @ 20°C 3 bar @ 95°C
PB (length/OD) RED	10, 15, 22, 28	Red Polybutylene Red Pipe	Push Fit	PB	PB & Brass fittings	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30
Latest Issue: 2025-09-18

Effective Date: 2025-09-18
Expiry Date: 2028-03-09

Page: 2 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyplumb Fittings:

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PB010	10	Polyplumb Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB015	15	Polyplumb Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB022	22	Polyplumb Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB028	28	Polyplumb Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB582210	28 x 10	Polyplumb Reducing Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB5822	22 x 15	Polyplumb Reducing Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB110	10	Polyplumb Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB115	15	Polyplumb Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB122	22	Polyplumb Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB128	28	Polyplumb Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1010	10	Polyplumb Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 3 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyplumb Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PB101510	10 x 15	Polyplumb Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1015	15	Polyplumb Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1022	22	Polyplumb Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB210	10	Polyplumb Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB215	15	Polyplumb Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB222	22	Polyplumb Equal Tee	Push Fit	PB	PB & C Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB228	28	28mm Polyplumb Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1415	15x10x15	Polyplumb End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1422	22x15x22	Polyplumb End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1428	28x22x28	Polyplumb End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 4 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyplumb Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PB1115	15x15x10	Polyplumb Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB112210	22x22x10	Polyplumb Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1122	22x22x15	Polyplumb Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1128	28x28x22	Polyplumb Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1215	15x15x10	Polyplumb Branch Reduced Spigot Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1222	22x22x15	Polyplumb Branch Reduced Spigot Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1515	15x10x10	Polyplumb Branch & One End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1522	22x15x15	Polyplumb Branch & One End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1528	28x22x22	Polyplumb Branch & One End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1622	15x15x22	Polyplumb Two Ends Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB815	15 x 10	Polyplumb Spigot Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 5 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyplumb Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PB822	22 x 15	Polyplumb Spigot Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB828	28 x 22	Polyplumb Spigot Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1815	15 x 10	Polyplumb Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1822	22 x 15	Polyplumb Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1828	28 x 22	Polyplumb Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB715	15 x 1/2"	Polyplumb Straight Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB71534	15 x 3/4"	Polyplumb Straight Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB722	22 x 3/4"	Polyplumb Straight Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1715	15 x 1/2"	Polyplumb Bent Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB910	10	Polyplumb Spigot Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB915	15	Polyplumb Spigot Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 6 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyplumb Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PB922	22	Polyplumb Spigot Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB928	28	Polyplumb Spigot Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1910	10	Polyplumb Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1915	15	Polyplumb Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1922	22	Polyplumb Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB1928	28	Polyplumb Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB6910	10	Polyplumb Demountable Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB6915	15	Polyplumb Demountable Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB6922	22	Polyplumb Demountable Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB6928	28	Polyplumb Demountable Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB3910	10	Polyplumb Radiator Connector Bend	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 7 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyplumb Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PB3915	15	Polyplumb Radiator Connector Bend	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB2822	22 x 10	2 Port Polyplumb Manifold	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB4822	22 x 10	4 Port Polyplumb Manifold (Skt/Skt)	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB4922	22 x 10	4 Port Polyplumb Manifold (Skt/Spg)	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB7322153	22 x 15	3 Port Polyplumb Manifold (Skt/Skt)	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB7622153	22 x 15	3 Port Polyplumb Manifold (Skt/Spg)	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB7322104	22 x 10	4 Port Polyplumb Manifold (Skt/Skt)	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB7622104	22 x 10	4 Port Polyplumb Manifold (Skt/Spg)	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB47152	15 x 3/4"	F/M BSP 2 Port Manifold	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB47153	15 x 3/4"	F/M BSP 3 Port Manifold	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 8 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyplumb Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PB4310	10 x 1/4"	Male BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB431038	10 x 3/8"	Male BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB4315	15 x 1/2"	Male BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB4322	22 x 3/4"	Male BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB4328	28 x 1"	Male BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB4410	10 x 1/4"	Female BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB441038	10 x 3/8"	Female BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB4415	15 x 1/2"	Female BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB441534	15 x 3/4"	Female BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB4422	22 x 3/4"	Female BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB4428	28 x 1"	Female BSP Adaptor	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 9 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyplumb Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PB3015	15 x 1/2"	Female Elbow	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB302212	22 x 1/2"	Female Elbow	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB3022	22 x 3/4"	Female Elbow	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB2915	15 x 1/2"	Female Tee	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
PB292212	22 x 1/2"	Female Tee	Push Fit	Brass	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

Associated Polyfit Fittings:

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
FIT010	10	Polyfit Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT015	15	Polyfit Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT022	22	Polyfit Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT028	28	Polyfit Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 10 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyfit Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
FIT5815	15 x 10	Polyfit Reducing Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT582210	22 x 10	Polyfit Reducing Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT5822	22 x 15	Polyfit Reducing Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT110	10	Polyfit Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT115	15	Polyfit Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT122	22	Polyfit Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT128	28	Polyfit Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1010	10	Polyfit Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT101510	10 x 15	Polyfit Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1015	15	Polyfit Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1022	22	Polyfit Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 11 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyfit Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
FIT210	10	Polyfit Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT215	15	Polyfit Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT222	22	Polyfit Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT228	28	Polyfit Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1415	15x10x15	Polyfit End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1422	22x15x22	Polyfit End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1428	28x22x28	Polyfit End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1115	15x15x10	Polyfit Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT112210	22x22x10	Polyfit Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1122	22x22x15	Polyfit Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 12 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyfit Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
FIT1128	28x28x22	Polyfit Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1622	15x15x22	Polyfit Two Ends Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1815	15 x 10	Polyfit Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1822	22 x 15	Polyfit Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT182815	28 x 15	Polyfit Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1828	28 x 22	Polyfit Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT715	15 x 1/2"	Polyfit Straight Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT71534	15 x 3/4"	Polyfit Straight Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1828	28 x 22	Polyfit Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT722	22 x 3/4"	Polyfit Straight Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1715	15 x 1/2"	Polyfit Bent Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 13 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyfit Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
FIT910	10	Polyfit Spigot Blank End	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT915	15	Polyfit Spigot Blank End	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT922	22	Polyfit Spigot Blank End	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1910	10	Polyfit Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1915	15	Polyfit Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1922	22	Polyfit Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1928	28	Polyfit Socket Blank Ends	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1515	15x10x10	Branch & End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1522	22x15x15	Branch & End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT1528	28x22x22	Branch & End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT2822	22 x 10	2 Port Polyfit Double Sided Manifold	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 14 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polyfit Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
FIT4822	22 x 10	4 Port Polyfit Double Sided Manifold	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT7322104	22 x 10	4 Port Polyfit Single Sided Manifold	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
FIT7322153	22 x 15	3 Port Polyfit Single Sided Manifold	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

Associated Polymax Fittings:

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
MAX010	10	Polymax Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX015	15	Polymax Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX022	22	Polymax Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX028	28	Polymax Straight Coupler	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX110	10	Polymax Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 15 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polymax Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
MAX115	15	Polymax Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX122	22	Polymax Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX128	28	Polymax Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX1010	10	Polymax Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX101510	15 x 10	Polymax Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX1015	15	Polymax Spigot Elbow	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX210	10	Polymax Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX215	15	Polymax Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX222	22	Polymax Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX228	28	Polymax Equal Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX1422	22x15x22	Polymax End Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 16 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polymax Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
MAX112210	22x22x10	Polymax Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX1122	22x22x15	Polymax Branch Reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX1515	15x10x10	Polymax branch and One End reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX1522	22x15x15	Polymax branch and One End reduced Tee	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX1815	15 x 10	Polymax Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX1822	22 x 15	Polymax Socket Reducer	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX715	15 x 1/2"	Polymax Straight Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX71534	15 x 3/4"	Polymax Straight Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX722	22 x 3/4"	Polymax Straight Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C
MAX1715	15 x 1/2"	Polymax Bent Tap Connector	Push Fit	PB	PB & Copper pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 17 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polysure Fittings:

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
SUR015P	15	Coupler	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR022P	22	Coupler	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR115P	15	90° Elbow	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR122P	22	90° Elbow	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR215P	15	Equal Tee	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C))
SUR222P	22	Equal Tee	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 18 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polysure Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
SUR5822P	22 x 15	SK/SK Reducer	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR1422P	22x15x22	End Reduced Tee	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR1122P	22 x 15	Branch Reduced Tee	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR1522P	22 x 15	Branch & End Reduced Tee	Press-fit	PPSU	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR015	15	Coupler	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR022	22	Coupler	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 19 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polysure Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
SUR028	28	Coupler	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR115	15	90° Elbow	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR122	22	90° Elbow	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR128	28	90° Elbow	Press-fit	Brass	PB pipe	12.5 bar @ 20°C 6.0 bar @ 95°C (closed circuit use only 3.0bar @ 105°C)
SUR215	15	Equal Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR222	22	Equal Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 20 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polysure Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
SUR228	28	Equal Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR5815	15 x 10	SK/SK Reducer	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR5822	22 x 15	SK/SK Reducer	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR582815	28 x 15	SK/SK Reducer	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR5828	28 x 22	SK/SK Reducer	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR1422	22x15x22	End Reduced Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 21 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polysure Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
SUR1428	28x22x28	End Reduced Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR5515	15	Compression Adaptor	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR5522	22	Compression Adaptor	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR715	15 x 1/2"	Straight Tap Connector	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR71534	15 x 3/4"	Straight Tap Connector	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR722	22 x 3/4"	Straight Tap Connector	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 22 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polysure Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
SUR1715	15 x 1/2"	Bent Tap Connector	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR4315	15 x 1/2"	MBSP Adaptor	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR4322	22 x 3/4"	MBSP Adaptor	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR4328	28 x 1"	MBSP Adaptor	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR4415	15 x 1/2"	FBSP Adaptor	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR4422	22 x 3/4"	FBSP Adaptor	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 23 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polysure Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
SUR4428	28 x 1"	FBSP Adaptor	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR1115	15x15x10	Branch Reduced Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR1122	22x22x15	Branch Reduced Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR1122815	28x28x15	Branch Reduced Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR1128	28x28x22	Branch Reduced Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)
SUR1522	22x15x15	Branch & End Reduced Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 24 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Polysure Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
SUR1528	28x22x22	Branch & End Reduced Tee	Press-fit	Brass	PB pipe	12.5bar @ 20°C 6.0bar @ 95°C (closed circuit use only) 3.0bar @ 105°C)

Associated Fittings:

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
PP6410	10	Pipe Stiffener	Push Fit	Polysulfone	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
PP6415	15	Pipe Stiffener	Push Fit	Polysulfone	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
PP6422	22	Pipe Stiffener	Push Fit	Polysulfone	PB pipe	12.5 bar @ 20°C 3 bar @ 95°C
PP6428	28	Pipe Stiffener	Push Fit	Polysulfone	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
PP6415S	15	Sealed Pipe Stiffener	Push Fit	Polysulfone	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
PP6422S	22	Sealed Pipe Stiffener	Push Fit	Polysulfone	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
INCERT10	10	INCERT Pipe Stiffener	Push Fit	Polysulfone	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 25 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Associated Fittings (continued):

Model Ref. No.	Nominal Outside Diameter (mm)	Product Description	Joint Type	Main body Material Type	Compatible With	Max Working Temperature and Pressure
INCERT15	15	INCERT Pipe Stiffener	Push Fit	Polysulfone	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
INCERT22	22	INCERT Pipe Stiffener	Push Fit	Polysulfone	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
INCERT28	28	INCERT Pipe Stiffener	Push Fit	Polysulfone	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
PP6410M	10	Pipe Stiffener Stainless Steel	Push Fit	SS	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
PP6415M	15	Pipe Stiffener Stainless Steel	Push Fit	SS	PB Pipe	12.5 bar @ 20°C 3 bar @ 95°C
PP6422M	22	Pipe Stiffener Stainless Steel	Push Fit	SS	PB pipe	12.5 bar @ 20°C 3 bar @ 95°C

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 26 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Materials Pipes

Grey PB	White PB	Natural PB	Natural PB
PB4267	PB4268	P5250N	Typlex 3050

Grey Masterbatch	White Masterbatch	Red Masterbatch	Blue Masterbatch
MB50GRM	MB35WH	MB35RD(2).	4168RCP
Typlex 1050 GMB	Typlex 4050 WMB		

Adhesive	Barrier
Modic P553	Soarnol D2908H4
Mitsui Admer QF460E	Eval FP104B

Fittings - Polyplumb

Grey PB	White PB	Natural PB
PB4267	PB4268	P5250N

Grey Masterbatch	White Masterbatch
MB50GRM	MB35WH

Washers	O Rings	Pipe Stiffeners	Lubricant
DSM AKULON GFN K224-HG6.T.06.46	EP11/01/13 BLK SH60	Solvay UDEL P1700 BK 937 Black	IKV Tribosil MHL 40
BASF Ultramid GFN B3E2G6 Grey 7118	EPDM 9611 BLK SH60	Stainless Steel X2CrNiMo17-12-2	S350 Silicone Fluid
Nylon Akulon K222/RCN 3309	EPDM 9710 BLK SH75	-	Bessil F-50 Silicone Oil
-	EPDM 60 EP 126p BLK SH 60	-	-
-	EP 1-1-5 BLK SH70	-	-

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 27 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

Materials (continued)

Fittings – Polyfit & Polymax

White PB	Natural PB
PB4268	P5250N

White Masterbatch
MB35WH

Washers	O Rings	Pipe Stiffeners	Lubricant
DSM GFN Akulon K224-HG6-1802 M/B Blue	EP11/01/13 BLK SH60	Solvay UDEL P1700 BK 937 Black	IKV Tribosil MHL 40
-	EPDM 9611 BLK SH60	Stainless Steel X2CrNiMo17-12-2	S350 Silicone Fluid
-	EPDM 9710 BLK SH75	-	Bessil F-50 Silicone Oil
-	EPDM 60 EP 126p BLK SH 60	-	-
-	EP 1-1-5 BLK SH70	-	-

Fittings - Polysure

PPSU	Brass
PPSU-Radel R-5100 NT15 Cream	CW602N

Washers	O Rings	Lubricant
EPDM 9710 BLK SH75	LOP 180 EPDM SH80	IKV Tribosil MHL 40
EP 1-1-5 BLK SH70	LOP 180 EPDM SH80	S350 Silicone Fluid
-	-	Bessil F-50 Silicone Oil

First Issued: 2023-11-30
Latest Issue: 2025-09-18

Effective Date: 2025-09-18
Expiry Date: 2028-03-09

Page: 28 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.