

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.02.2018

Version number 1

Revision: 11.01.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weberend LAC rapid

Safety data sheet no.: 44P46331

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

Saint-Gobain Weber

Dickens House

Enterprise Way

Flitwick

Bedford.

MK45 5BY

Tel: +44(0)1525 718877

Web: [www.netweber.co.uk](http://www.netweber.co.uk)email:[sara.kelly@netweber.co.uk](mailto:sara.kelly@netweber.co.uk)**1.4 Emergency telephone number:** +44(0) 8703 330070 Office hours only (08.30-17.00 UK time)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS05 GHS07

**Signal word** Danger

(Contd. on page 2)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.02.2018

Version number 1

Revision: 11.01.2018

**Trade name weberend LAC rapid**

(Contd. of page 1)

**Hazard-determining components of labelling:**

cement, portland, white  
calcium dihydroxide

**Hazard statements**

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2ppm), it doesn't need a reducing agent

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**SECTION 3: Composition/information on ingredients**

**3.2 Chemical characterisation: Mixtures**

**Description:** Mixture of substances listed below with non hazardous additions.

<b>Dangerous components:</b>		
CAS: 65997-15-1 EINECS: 266-043-4	cement, portland, white ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335	10-25%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 2119446671-xxxx	calcium dihydroxide ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315	5-10%

**SVHC** Void

**Additional information**

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. This crystalline silica contains between 1% and 10% of quartz (fine fraction).

The product contains white cement with a content of soluble chromium (VI) below 0.0002% (2 ppm). It doesn't need any chromate reducing agent.

For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.02.2018

Version number 1

Revision: 11.01.2018

**Trade name weberend LAC rapid**

(Contd. of page 2)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact** Immediately wash with water and soap and rinse thoroughly.

##### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing** If symptoms persist consult a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Not required.

**6.2 Environmental precautions:** No special measures required.

#### 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.02.2018

Version number 1

Revision: 11.01.2018

**Trade name weberend LAC rapid**

(Contd. of page 3)

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**Additional information about design of technical facilities:** No further data; see item 7.

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

DNELs					
<b>CAS: 1305-62-0 calcium dihydroxide</b>					
Inhalative	Derived No Effect Level	1 mg/m <sup>3</sup> (consumer local long term value) 4 mg/m <sup>3</sup> (consumer local short term value)			
PNECs					
<b>CAS: 1305-62-0 calcium dihydroxide</b>					
Predicted No Effect Concentration	0.49 mg/l (fresh water rating factor) 1.08 mg/l (soil/groundwater)				
CAS No.	Designation of material	%	Type	Value	Unit
<b>CAS: 65997-15-1 cement, portland, white</b>					
WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust				

**Additional Occupational Exposure Limit Values for possible hazards during processing:**

Quartz alveolar dust (< 5 µm) : 0,15 mg/m<sup>3</sup>

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

**Protection of hands:** Protective gloves.

**Eye protection:** Tightly sealed goggles

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.02.2018

Version number 1

Revision: 11.01.2018

Trade name weberend LAC rapid

Body protection: Protective work clothing.

(Contd. of page 4)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

#### Appearance:

Form:	Powder
Colour:	Whitish
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value: Not applicable.

#### Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.

Flash point: Not applicable

Flammability (solid, gas): Product is not flammable.

Ignition temperature: Not determined.

Decomposition temperature: Not determined.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

#### Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Oxidising properties: Not determined.

Vapour pressure at 1732 °C: 13.5 hPa (DIN 51640)  
Not applicable.

Density:	Not applicable.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.

#### Solubility in / Miscibility with

Water: Insoluble

#### Segregation coefficient (n-octanol/water) log

Pow: Not determined.

#### Viscosity:

dynamic:	Not applicable.
kinematic:	Not applicable.

#### Solvent content:

EU-VOC 0.00 %

(Contd. on page 6)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.02.2018

Version number 1

Revision: 11.01.2018

Trade name weberend LAC rapid

(Contd. of page 5)

9.2 Other information

No further relevant information available.

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 65997-15-1 cement, portland, white</b>			
Dermal	LD50	>2,000 mg/kg	(Rabbit)
<b>CAS: 1317-65-3 limestone</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
<b>CAS: 1305-62-0 calcium dihydroxide</b>			
Oral	LD50	7,340 mg/kg	(Rat)
Dermal	LD50	>2,500 mg/kg	(Rabbit)

**Primary irritant effect:**

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.02.2018

Version number 1

Revision: 11.01.2018

Trade name **weberend LAC rapid**

(Contd. of page 6)

Type of test	Effective concentration	Method	Assessment
<b>CAS: 1317-65-3 limestone</b>			
LC50/96h	>10,000 mg/l	(Oncorhynchus mykiss (Rainbow trout))	
EC50/48h	>1,000 mg/l	(Daphnia magna)	
EC50/72h	>200 mg/l	(Algae)	
<b>CAS: 1305-62-0 calcium dihydroxide</b>			
LC50/96h	160 mg/l	(Fish)	
EC50/48h	49.1 mg/l	(Daphnia magna)	
EC50/72h	184.57 mg/l	(Algae)	

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**Behaviour in environmental systems:**

**12.4 Mobility in soil** No further relevant information available.

**Additional ecological information:**

**General notes:**

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

**European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

<b>14.1 UN-Number</b>	Void
<b>ADR, ADN, IMDG, IATA</b>	
<b>14.2 UN proper shipping name</b>	Void
<b>ADR, ADN, IMDG, IATA</b>	
<b>14.3 Transport hazard class(es)</b>	
<b>ADR, ADN, IMDG, IATA</b>	
<b>Class</b>	Void
<b>14.4 Packing group</b>	Void
<b>ADR, IMDG, IATA</b>	
<b>14.5 Environmental hazards:</b>	Not applicable.

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.02.2018

Version number 1

Revision: 11.01.2018

<b>Trade name weberend LAC rapid</b>
--------------------------------------

(Contd. of page 7)

<b>14.6 Special precautions for user</b>	Not applicable.
--	-----------------

<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
--	-----------------

<b>UN "Model Regulation":</b>	Void
-------------------------------	------

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Department issuing SDS:** Quality Department

**Contact:** Dr S. Kelly; tel. + 44 (0) 1525 718877

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3