





CONTENTS

Colour options			
White Range Fascia / reveal liner Full replacement / new build fascia Soffit Mouldings / Accessories Window Boards & Trims	4 5 6 8 10 11		
Woodgrain range Fascia / reveal liner Soffit Window Board, Trims, Architraves & Angles	12 13 14 15		
Colour Range Fascia / reveal liner Full replacement / new build fascia Soffit	16 17 17 18		
Cladding Standard Fortex Range	19 21 21		
Plastops	22		
Rainwater Systems	24		
Interior Decorative Panelling	28		
Decking	33		
Freefoam Guarantee			
Freefoam and the Environment	37		


Freefoam's unique Roofline Colour collection with Colormax™ technology

Freefoam's innovative Colormax™ technology provides ground-breaking colour variety, colour matching and colourfastness. As a result specifiers, architects, contractors and homeowners are now empowered to put their individual mark on their house or project.



Full Colour Range





All products in the above colour range are subject to lead time.

Notes:

- Colours shown are for availability identification only. Please see colour swatch or product samples for exact colour representations.
- 2. Please note that the nearest Ral numbers above are provided for reference purposes only and do not guarantee a precise match. It is recommended that actual Freefoam product samples be used for comparison purposes.
- Please contact Freefoam or see our Technical & Specification Manual for nearest Pantone and NCS reference numbers.
- 4. A wider colour range is available for special projects and a colour matching service is available subject to lead-time and minimum order quantities.

Please note that a lead time may apply to some products listed in this catalogue



ı	FASCIA /	REVEAL LINER			Owhite
	Code	Description	Unit	Units per Pack	0
	OGEE FAS	SCIA - 10MM		•	
	F0100	100mm	5m	4	0
	F0150	150mm	5m	2	Q
	F0175	175mm	5m	2	<u> </u>
	F0200	200mm	5m	2	0
	F0225 F0250	225mm 250mm	5m 5m	2	Ö
	F0300	300mm	5m	2	Ŏ
	F0390	390mm	5m	2	Ŏ
	FOJ	Ogee Joiner	Piece	1	Ō
1	FOX	Ext. Ogee Corner	Piece	1	<u> </u>
	FOJJ	600mm Double Ended Ogee Joiner	Piece		<u> </u>
	FOXX	600mm Double Ended Ext. Ogee Corner	Piece Piece	1	0
	FOXI FOB	Int. Ogee Corner 125° Ogee Angle Box Joiner	Piece	1	Ŏ
	FOFX	135° Ext. Ogee Corner	Piece	1	Ŏ
	FOFXI	135° Int. Ogee Corner	Piece	1	Ō
	FBOX	Moulded Corner Piece	Piece	1	Q
	FOBOX	Ogee Gable End Box (600 x 390mm)	Pair (L&R	2) 1	0
	PLAIN FA	SCIA / REVEAL LINER - 10MM	/I		
	FW100	100mm		4	0
	FW125	125mm	5m 5m	2	Ŏ
	FW150	150mm	5m	2	Ŏ
	FW175*	175mm	5m	2	Ŏ
	FW200*	200mm	5m	2	0
	FW225*	225mm	5m	2	<u> </u>
4-	FW250	250mm	5m	2	<u> </u>
	FW300	300mm	<u>5</u> m	2	9
	FW400 F410P*	410mm Double Ended	5m	2	0
1	FW450	450mm	5m 5m	2	Ö
	F605P	605mm Double Ended	5m	1	Ŏ
	FWJ	Plain Joiner	Piece	1	Ŏ
	FWX	Ext. Plain Corner	Piece	1	0
	FWJJ	600mm Double Ended Plain Joiner	Piece	1	0
	FWXX	600mm Double Ended Ext. Plain Corner	Piece		<u> </u>
	FWXI	Int. Plain Corner	Piece		0
	FWFX FWFXI	135° Ext. Plain Corner 135° Int. Plain Corner	Piece Piece	1	Ö
	FWEC	End Cap	Pair (L&R		Ŏ
	FWDC	Large End Cap	Piece	1	Ŏ O
	FWBOX	Plain Fascia Gable End Box (380mm x 50mm	m) Piece	1	0
	SOLIADE	EDGED FASCIA / REVEAL LIN	FD - SM	М	
	FL150	150mm	5m	2	0
	FL175	175mm	5m	2	Ö
	FL200	200mm	5m	2	Ŏ
	FL225	225mm	5m	2	0
	FL250	250mm	5m	2	0
	FL300	300mm	5m	2	<u> </u>
~	FL454	454mm Double Ended	5m	2	<u> </u>
The second second	FLJJ	600mm Double Ended Square Edge Joiner	Piece Piece	1	0
	FLXX	Square Edge Joiner 600mm Double End Ext. Sq. Edge Corner	Piece	1	Ŏ
	FLX	External Square Edge Corner	Piece	1	Ö
	FLFX	135° Ext. Square Edged Corner	Piece	1	Ŏ
	FLFXI	135° Int. Square Edged Corner	Piece	11	0
	FLEC	End Cap	Pair (L&R	0 1	<u> </u>
	FLDC	Large End Cap	Piece		<u> </u>
	FLXI	Int. Square Corner	Piece	11	0
	SQUARE	EDGED FASCIA / REVEAL LIN	ER - 9M	M	
	FLP100	100mm	5m	2	0
	FLP150	150mm	5m	2	Q
	FLP175	175mm	5m	2	<u> </u>
	FLP200	200mm	5m	2	<u>V</u>
	FLP225	225mm	5m	2	0
10	FLP250 FLP300	250mm 300mm	5m 5m	2	Ö
	FLP300 FLP405	405mm	5m	2	Ö
	FLJ	Square Edge Joiner	Piece	1	Ŏ
	FLXX	600mm Double End Ext. Sq. Edge Corner	Piece	1	Q
	FLX	External Square Edge Corner	Piece	1	0
	FLFX	135° Ext. Square Edged Corner	Piece		9
	FLFXI	135° Int. Square Edged Corner	Piece	1 1	0
	FLEC FLDC	End Cap Large End Cap	Pair (L&R Piece	1	Ŏ O
	FLXI	Int. Square Corner	Piece	1	Ö
	. LAI	square corner	1 1000		-

*Available in Blue White

FULL REPLACEMENT / NEW BUILD FASCIA

O White

	Code	Description	Unit	Units per Pack	Ō	
- 10	MAGNUI	M ROUNDNOSE FASCIA - 18MM				
	FMR150	150mm	5m	2	0	
	FMR175	175mm	5m	2	0	
	FMR200	200mm	5m	2	0	
	FMR225	225mm	5m	2	0	
_	FMR250	250mm	5m	2	0	
	FMR405	405mm Double Ended	5m	1	0	
	FMRJJ	600mm Double Ended Roundnose Joiner	Piece	1	0	
-	FMRXX	Double Ended Ext. Roundnose Corner	Piece	1	0	
	FMRXI	Int. Roundnose Corner	Piece	1	0	
	FMRFX	135° Ext. Roundnose Corner	Piece	1	0	
	FMRFXI	135° Int. Roundnose Corner	Piece	1	0	
	FMREC	End Cap	Pair (L&R)	1	0	
	FMRDC	Large End Cap	Piece	1	0	



MAGNU	M SQUARE LEG FASCIA - 18MN	1		
FMS150	150mm	5m	2	0
FMS175	175mm	5m	2	0
FMS200	200mm	5m	2	0
FMS225	225mm	5m	2	0
FMS250	250mm	5m	2	0
FMS410	410mm Double Ended	5m	1	0
FWJ	Plain Joiner	Piece	1	0
FWX	Ext. Plain Corner	Piece	1	0
FWJJ	600mm Double Ended Plain Joiner	Piece	1	0
FWXX	600mm Double Ended Ext. Plain Corner	Piece	1	0
FWXI	Int. Plain Corner	Piece	1	0
FWFX	135° Ext. Plain Corner	Piece	1	0
FWFXI	135° Int. Plain Corner	Piece	1	0
FWEC	End Cap	Pair (L&R)	1	0
FWDC	Large End Cap	Piece	1	0



MAGNUM	I OGEE FASCIA - 18MM			
		_		0
FM0150	150mm	5m	2	<u> </u>
FM0175	175mm	5m	2	Ü
FM0200	200mm	5m	2	<u> </u>
FM0225	225mm	5m	2	<u> </u>
FM0250	250mm	5m	2	<u> </u>
FM0405	405mm Double Ended	5m	1	<u> </u>
FOJ	Ogee Joiner	Piece	1	<u> </u>
FOX	Ext. Ogee Corner	Piece	1	<u> </u>
FOJJ	600mm Double Ended Ogee Joiner	Piece	1	<u> </u>
FOXX	600mm Double Ended Ext. Ogee Corner	Piece	1	<u> </u>
FOXI	Int. Ogee Corner	Piece	1	<u> </u>
FOB	125° Ogee Box Angle Joiner	Piece	1	Q
FOFX	135° Ext. Ogee Corner	Piece	1	Q
FOFXI	135° Int. Ogee Corner	Piece	1	Q
FBOX	Moulded Corner Piece	Piece	1	0



MACION	A A I I A SQUARE ELO I ASUIA			
FMXS150	150mm	5m	2	0
FMXS175	175mm	5m	2	Ŏ
FMXS200	200mm	5m	1	0
FMXS225	225mm	5m	11	0
FMXS250	250mm	5m	11	<u> </u>
FMXS405	405mm Double Ended	5m	11	<u> </u>
FWJ	Plain Joiner	Piece	1	<u> </u>
FWX	Ext. Plain Corner	Piece	1	<u> </u>
FWJJ	600mm Double Ended Plain Joiner	Piece	_1	O
FWXX	600mm Double Ended Ext. Plain Corner	Piece	1	<u> </u>
FWXI	Int. Plain Corner	Piece	1	<u> </u>
FWFX	135° Ext. Plain Corner	Piece	1	<u> </u>
FWFXI	135° Int. Plain Corner	Piece	1	<u> </u>
FWEC	End Cap	Pair (L&R)	1	<u> </u>
FWDC	Large End Cap	Piece	1	O

FULL REPLACEMENT / NEW BUILD FASCIA

O White



				0
Code	Description	Unit	Units per Pack	
MAGNUM	I ROUNDNOSE FASCIA - 23	MM		
FMXD150	150mm	5m	2	Q
FMXD175	175mm	5m	2	<u> </u>
FMXD200	200mm	5m	1	<u> </u>
FMXD225	225mm	5m	1	<u> </u>
FMXD250	250mm	5m	1	<u> </u>
FMXD405	405mm Double Ended	5m	1	0
FMRJJ	Double Ended Roundnose Joiner	Piece	1	<u> </u>
FMRXX	Double Ended Ext. Corner	Piece	1	0
FMRXI	Int. Roundnose Corner	Piece	1	0
FMRFX	135° Ext. Roundnose Corner	Piece	1	0
FMRFXI	135° Int. Roundnose Corner	Piece	1	0
FMREC	End Cap	Pair (L&R)	1	0
FMRDC	Large End Cap	Piece	1	0



MAGNU	M FLAT FASCIA - 16MM				
FMF100	100mm	5m	2	0	
FMF125	125mm	5m	2	0	
FMF150	150mm	5m	2	0	
FMF175	175mm	5m	2	0	
FMF200	200mm	5m	2	0	
FMF250	250mm	5m	2	0	
FMF300	300mm	5m	2	0	
FFMJJ	600mm Double End Magnum Flat Joiner	Piece	1	<u> </u>	
FFMXX	600mm Double End Magnum Flat Corner	Piece	1	<u> </u>	



FULL RE	FULL REPLACEMENT ROUNDNOSE DUO FASCIA - 15MM					
FMD150	150mm	5m	2	0		
	.=			×		
FMD175	175mm	5m		<u> </u>		
FMD200	200mm	5m	2	<u> </u>		
FMD225	225mm	5m	2	<u> </u>		
FMD250	250mm	5m	2	<u> </u>		
FMD405	405mm Double Ended	5m	11	<u> </u>		
FMRJJ	Double Ended Roundnose Joiner	Piece	11	<u> </u>		
FMRXX	Double Ended Ext. Roundnose Corner	Piece	11	<u> </u>		
FMRXI	Int. Roundnose Corner	Piece	11	<u> </u>		
FMRFX	135° Ext. Roundnose Corner	Piece	11	<u> </u>		
FMRFXI	135° Int. Roundnose Corner	Piece	11	<u> </u>		
FMREC	End Cap	Pair (L&R)	11	<u> </u>		
FMRDC	Large End Cap	Piece	11	0		



FULL RE	PLACEMENT SQUARE EDGED F	ASCIA - 1	5MM		
FML150	150mm	5m	2	0	
FML175	175mm	5m	2	O .	
FML200	200mm	5m	2	O .	
FML225	225mm	5m	2	O .	
FML250	250mm	5m	2	0	
FML405	405mm Double Ended	5m	1	0	
FLJJ	600mm Double Ended Square Edge Joiner	Piece	1	0	
FLJ	Square Edge Joiner	Piece	1	0	
FLXX	600mm Double End Ext. Sq. Edge Corner	Piece	1	0	
FLX	External Square Edge Corner	Piece	1	0	
FLFX	135° Ext. Square Edged Corner	Piece	1	O	
FLFXI	135° Int. Square Edged Corner	Piece	11	O .	
FLEC	End Cap	Pair (L&R)	11	Q	
FLDC	Large End Cap	Piece	11	0	
FLXI	Int. Square Corner	Piece	11		

SOFFIT





HOLLOW SOFFIT - 10MM						
F104	100mm x 10mm Hollow	5m	10	0		
F312	300mm x 10mm Hollow (ECON)	5m	4	0		
F112	300mm x 10mm Hollow	5m	4	0		

 $\underline{\text{Note:}} \ \text{Hollow rigid profiles are not guaranteed for use on external cladding applications.}$



HOLLOW SOFFIT TRIM					
F105	'F' Trim / Wall Trim	5m	10	0	
F106	'H' Trim / Joint Trim	5m	10	0	
F107	'J' Trim / Starter Trim	5m	10	0	
F108	Ext. Corner Trim	5m	5	0	
E7106	Florible 'H' Trim / Joint Trim	5m	10	0	



GENER#	AL PURPOSE BOARD - 10	MM			
GPB100	100mm	5m	4	0	
GPB125	125mm	5m	2	0	
GPB150*	150mm	5m	2	<u> </u>	
GPB175	175mm	5m	2	<u> </u>	
GPB200	200mm	5m	2	<u> </u>	
GPB225	225mm	5m	2	<u> </u>	
GPB250	250mm	5m	2	<u> </u>	
GPB300*	300mm	5m	2	<u> </u>	
GPB350	350mm	5m	2	<u> </u>	
GPB405	400mm	5m	2	0	
GPB450	450mm	5m	2	0	
GPB500	500mm	5m	2	0	
GPB605	600mm	5m	1	O	



PRE-VE	NTED GENER	RAL PURPOSE BOARD - 10MM		
GPBV100	100mm	5m	4	0
GPBV150	150mm	5m	2	Ŏ
GPBV175	175mm	5m	2	0
GPBV200	200mm	5m	2	0
GPBV225	225mm	5m	2	0
GPBV250	250mm	5m	2	0
GPBV300	300mm	5m	2	0
GPBV350	350mm	5m	2	0
GPBV405	400mm	5m	2	0
GPBV450	450mm	5m	2	0
GPBV605	600mm	5m	1	0



DOUBLE VENTED GENERAL PURPOSE BOARD - 25MM								
GPRDV225	225mm	5m	2	0				
GPBDV300	300mm	5m	2	0				
GPBDV350	350mm	5m	2	Q				
GPBDV450	450mm	5m	2	0				



VENTILATOR						
F104V	Strip Vent (Tongue & Groove)	5m	10	0		
F109	Strip Vent (h-vent)	5m	10	0		
F109M	Mesh (10 x 5m)	50m	1 roll	0		
FCV	Circular Soffit Vent	Piece	50	0		
FVENT10	10mm Over Fascia Ventilator	1m	25	•		
FVENT25	25mm Over Fascia Ventilator	1m	12	•		

*Available in Blue White

FASCIA ACCESSORIES



Ogee Joiner FOJ



Ext. Plain Corner



Ext. Sq. Edge Corner FLX



Int. Ogee Corner FOFXI



135° Ext. Plain Corner FWFX



135° Ext. Square Corner FLFX



135° Ext. Ogee Corner FOFX



Moulded Corner Piece FBOX




End Cap FWEC



Ogee Gable End Box FOBOX

SOFFIT ACCESSORIES



ROOFLINE DÉCOR PRODUCTS

O White



Code	Description	Unit	Units per Pack	
ROOFLI	NE DÉCOR MOULDING			
FIN 1	Finial	Piece	10	0
FM01	Ogee Décor Mould	Piece	1	<u> </u>
FM02	Plain Décor Mould (open)	Piece	1	0
FM03	Plain Décor Mould (closed)	Piece	1	0
FM04	Scalloped Decorative Fascia (convex)*	5m	2	0
FM05	Scalloped Decorative Fascia (concave)*	5m	2	0
FIN 2	Finial 900mm x 65mm x 33mm	Piece	1	0
FIN 3	Finial 1300mm x 65mm x 33mm	Piece	1	0

* Max width 204mm & Min width 156mm for both















ROOFLINE ACCESSORIES						
Eaves Comb Filler	1m	50	•			
Eaves Protector	1.5m	10	•			
Eaves Protector with overfascia ventilation	1.5m	60	•			
Bird Comb	1m	30	•			
	Eaves Comb Filler Eaves Protector Eaves Protector with overfascia ventilation	Eaves Comb Filler Im Eaves Protector 1.5m Eaves Protector with overfascia ventilation 1.5m	Eaves Comb Filler 1m 50 Eaves Protector 1.5m 10 Eaves Protector with overfascia ventilation 1.5m 60	Eaves Comb Filler 1m 50 Eaves Protector 1.5m 10 Eaves Protector with overfascia ventilation 1.5m 60	Eaves Comb Filler 1m 50 Eaves Protector 1.5m 10 Eaves Protector with overfascia ventilation 1.5m 60	



HEDGEH	HEDGEHOG GUTTER BRUSH							
AGBR10	Hedaehoa Gutterbrush Refill White		10	0				
AGBR10	Hedgehog Gutterbrush Refill Black		10	•				
AGBD20	Hedgehog Gutterbrush Dispenser White		20	0				
AGBDBL20	Hedgehog Gutterbrush Dispenser Black		20	•				
AGBC	Hedgehog Gutterbrush Clips		20					
AGBS	Hedgehog Gutterbrush Scoop	1						



GALLOWS BRACKET							
FGBS1	Plain Bracket 375mm x 300mm	2	0				
FGBS2	Plain Bracket 565mm x 400mm	2	Ŏ				
FGBS3	Plain Bracket 750mm x 600mm	2	Q				
FGBD1	Decorative Bracket 375mm x 300mm	2	_ <u>O</u>				
FGBD2	Decorative Bracket 565mm x 400mm	2	O				
FGBD3	Decorative Bracket 750mm x 600mm	2	0				

WINDOWBOARD AND TRIMS





Large End Cap Window Board -10mm thick FBDC



End Cap Window Board - 10mm thick FBEC

WINDOW TRIMS AND ACCESSORIES



Section -6mm thick FD28



20mm Cloaking Fillet - 6mm thick FF20



12mm Quadrant FQ12



19mm Quadrant FQ19



15mm x 15mm Square FR15



ARCHITRAVES AND ANGLES



40mm Pencil Round Architrave -6mm FA45



60mm Pencil Round Architrave -6mm FA65



90mm Pencil Round Architrave -6mm FA90



25mm x 25mm Flexi Angle - 2mm FZ25



50mm x 50mm Flexi Angle - 2mm thick FZ50



100mm x 80mm Hollow Angle - 6mm thick FZ100

Code



Description

ARCHITRAVES AND ANGLES

30mm x 30mm 90° Rigid-Angle -3mm thick FZR30



50mm x 50mm 90° Rigid-Angle -3mm thick FZR50

Unit



Units

per Pack

100mm x 100mm 90° Rigid-Angle -3mm thick FZR100

O White

WINDOW BOARD, TRIM & ARCHITRAVE



BULLN	OSE WINDOW BOARD - 10n	nm		
FB150	150mm	5m	2	0
FB175	175mm	5m	2	Ŏ
FB200	200mm	5m	2	0
FB225	225mm	5m	2	0
FB250	250mm	5m	2	0
FB405	405mm Double Ended	5m	2	0
FB455	455mm Double Ended	5m	2	0
FBDC	Large End Cap	Piece	50	0
FBEC	End Cap for FB Board	Pair (L&R)	50	0



AROIIII	MATES AND ANGLES				
FA45	40mm Pencil Round Architrave	5m	10	O *	
FA65	60mm Pencil Round Architrave	5m	10	O *	
FA90	90mm Pencil Round Architrave	5m	10	<u></u>	
FZ25	25mm x 25mm Flexi Angle	5m	25	<u> </u>	
FZ50	50mm x 50mm Flexi Angle	5m	10	<u> </u>	
FZ100	100mm x 80mm Hollow Angle	5m	10	<u> </u>	
FZR30	30mm x 30mm 90° Rigid-Angle	5m	20	<u> </u>	
FZR50	50mm x 50mm 90° Rigid-Angle	5m	10	<u> </u>	
F7P100	100mm v 100mm 90° Pigid-Angle	5m	10	0	



WINDO	W TRIMS AND ACCESSORIES	S			
FD28	28mm 'D' Section	5m	25	O *	
FQ12	12mm Quadrant	5m	25	O *	
FQ19	19mm Quadrant	5m	25	0 *	
FR15	15mm x 15mm Square	5m	25	0	
FB28	28mm Batten	5m	25	0	
FF20	20mm Cloaking Fillet	5m	25	0	
	•				

^{*} Also available in Blue White



Freefoam woodgrain range

Manufactured with market leading Renolit EXOFOL MX foils incorporating Solar Shield Technology (STT). STT offers not only built in sun reflection and reduced heat absorption but minimises profile temperature and expansion.











Mahogany (WGM)

Light Oak (WGO)

Black Ash (WGB)

Rosewood (WGR)

Irish Oak (WGI)

FASCIA / REVEAL LINER

Code	Description	Unit	Units per Pack	Available Colours
OGEE F	ASCIA - 10MM			
F0175	175mm	5m	2	• • •
F0200	200mm	5m	2	• • •
F0225	225mm	5m	2	• • •
F0390	390mm	5m	2	• • •
FOJ	Ogee Joiner	Piece	1	• • •
FOX	Ext. Ogee Corner	Piece	1	• • •
FOXX	600mm Double Ended Ext. Ogee Corner	Piece	1	• • •
FOXI	Int. Ogee Corner	Piece	1	• • •
FBOX	Moulded Corner Piece	Piece	1	• • •



PLAIN	FASCIA / REVEAL LINER - 10MI	M		
FW150	150mm	5m	2	• • • •
FW175	175mm	5m	2	• • •
FW200	200mm	5m	2	• • •
FW225	225mm	5m	2	• • • •
FW250	250mm	5m	2	• • • •
FW300	300mm	5m	2	• • • •
FW400	400mm	5m	2	• • • •
FWJ	Plain Joiner	Piece	1	• • • •
FWX	Ext. Plain Corner	Piece	1	• • • •
FWJJ	600mm Double Ended Plain Joiner	Piece	1	• • • •
FWXX	600mm Double Ended Ext. Plain Corner	Piece	1	• • • •
FWXI	Int. Plain Corner	Piece	1	• • • •
FWFX	135° Ext. Plain Corner	Piece	1	• •
FWFXI	135° Int. Plain Corner	Piece	1	• •
FWDC	Large End Can	Piece	1	0 0 0 0



SQUARE	EDGED FASCIA / REVEAL LINI	EK - OMM		
FL150	150mm	5m	2	•••
FL175	175mm	5m	2	• • • •
FL200	200mm	5m	2	• • •
FL225	225mm	5m	2	• • • •
FL250	250mm	5m	2	• • • •
FL300	300mm	5m	2	• • • •
FL400	400mm	5m	2	• • • •
FLJJ	600mm Double Ended Square Edge Joiner	Piece	1	• • • •
FLXX	600mm Double End Ext. Sa. Edge Corner	Piece	1	• • • •
FLFX	135° Ext. Square Edged Corner	Piece	1	• •
FLFXI	135° Int. Square Edged Corner	Piece	1	• •
FLEC	End Cap	Pair (L&R)	10	* * * *
FLDC	Large End Cap	Piece	10	* * * *



MACITO	M SQUARE LEG FASCIA - ISMM	•		
FMS150	150mm	5m	2	• • • •
FMS175	175mm	5m	2	• • • •
FMS200	200mm	5m	2	• • • •
FMS225	225mm	5m	2	• • • •
FMS250	250mm	5m	2	• • • •
FMS400	400mm	5m	1	• • • •
FWJ	Plain Joiner	Piece	1	• • • •
FWX	Ext. Plain Corner	Piece	1	• • • •
FWJJ	600mm Double Ended Plain Joiner	Piece	1	• • • •
FWXX	600mm Double Ended Ext. Plain Corner	Piece	1	• • • •
FWXI	Int. Plain Corner	Piece	1	• • • •
FWFX	135° Ext. Plain Corner	Piece	1	• • • •
FWFXI	135° Int. Plain Corner	Piece	1	• • • •
FWDC	Large End Cap	Piece	1	• • • •

SOFFIT





	Code	Description	Unit	Units per Pack	Available Colours
	HOLLOW	SOFFIT - 10MM			
	F104	100mm x 10mm Hollow	5m	10	• • • •
_	F112	300mm x 10mm Hollow	5m	2	• • • •
	F106	'H' Trim / Joint Trim	5m	10	• • •
_	F107	'J' Trim / Starter Trim	5m	10	• • •
	FCV	Circular Soffit Vent	Piece	50	* * * *
	F109	Soffit Ventillator	5m	10	• • * *



HOLLO	W SOFFIT TRIM			
F106	'H' Trim / Joint Trim	5m	10	•••
F107	'J' Trim / Starter Trim	5m	10	• • • •



GENER/	AL PURPOSE BOAR	D - 10MM	
GPB100	100mm	5m 4	•••
GPB150	150mm	5m 2	• • • •
GPB175	175mm	5m 2	• • • •
GPB200	200mm	5m 2	• • • •
GPB225	225mm	5m 2	• • • •
GPB250	250mm	5m 2	• • • •
GPB300	300mm	5m 2	• • • •
GPB405	405mm	5m 2	• • • •



PRE-VE	NTED GENER	RAL PURPOSE BOARD - 10MM		
GPBV150	150mm	5m	2	•••
GPBV175	175mm	5m	2	• • • •
GPBV225	225mm	5m	2	• • • •
GPBV300	300mm	5m	2	0000
GPBV405	400mm	5m	2	0000
GPBV403	40011111	3111		



SHIPLA	P			
FC150	150mm Shiplap Cladding	5m	4	•••
FC201	2 Part Universal Edge Trim	5m	10	• • •
FC202	Universal Edge Trim	5m	10	• • •
FC203	Corner Trim	5m	5	• • •
FC204	2 Part Corner Trim (also use for Open V)	5m	5	• • •
FC205	Joint / 'H' Trim	5m	5	• • •
FC209	Butt Joint	Piece	10	• • •



OPEN V				
FV100	100mm Open V Cladding	5m	4	•• •
FV201	2 Part Universal Edge Trim	5m	10	• • •
FV202	Universal Edge Trim	5m	10	• • •
FC204	2 Part Corner Trim (also use for Shiplap)	5m	5	• • •
FV205	Joint / 'H' Trim	5m	10	• • •
FV209	Butt Joint	Piece	10	• • •

Note: hollow rigid profiles are <u>not</u> guaranteed for use on external cladding applications.

WINDOW BOARD, TRIMS, ARCHITRAVES & ANGLES



Code	Description	Unit	Units per Pack	Available Colours
BULLN	DSE WINDOW BOARD - 10mm			
FB175	175mm	5m	2	• • •
FB200	200mm	5m	2	• • •
FB225	225mm	5m	2	
FB375	375mm	5m	2	
FBDC	Large End Cap	Piece	50	* * *



ARCHI	TRAVES AND ANGLES			
FA45	40mm Pencil Round Architrave	5m	10	• • • • • •
FA65	60mm Pencil Round Architrave	5m	10	••••
FA90	90mm Pencil Round Architrave	5m	10	



WINDOW	TRIMS AND ACCESSORIES			
FD28	28mm 'D' Section	5m	10	••••
FQ12	12mm Quadrant	5m	10	
FQ19	19mm Quadrant	5m	10	
FF20	20mm Cloaking Fillet	5m	10	• • •
FZ100WG	100mm x 80mm Hollow Angle	5m	5	• • •
FZR30WG	30mm x 30mm 90o Rigid-Angle	5m	10	• • •
FZR50WG	50mm x 50mm 90o Rigid-Angle	5m	10	• • •
FZR100WG	100mm x 100mm 90° Rigid-Angle	5m	10	• • • •



	DECOR M	OULDING			
	FIN 1	Finial	Piece	10	•••
W					



TUDOR BOARD		
FMXT145WG 145mm Magnum Xtra Tudor	5m 2	•••
,		


Black (BL) Caramel (CAR) Leather Brown (LB)


^{*}Products available in the following colours to complement Woodgrain Range.



COLOUR RANGE

FASCIA / REVEAL LINER






FULL REPLACEMENT / NEW BUILD FASCIA



SOFFIT





HOLLO	W SOFFIT TRIM			
F105	'F' Trim / Wall Trim	5m	10	•• ••• • • •
F106	'H' Trim / Joint Trim	5m	10	
F107	'J' Trim / Starter Trim	5m	10	
F108	Ext. Corner Trim	5m	5	•• ••• ••



	GENER#	AL PURPOSE B	OARD - 10MM			
	GPB150	150mm		5m	2	•• ••• • • •
	GPB200	200mm		5m	2	
-	GPB300	300mm		5m	2	
	GPB405	405mm		5m	2	
	GPB605	605mm		5m	2	



F109 Strip Vent (h-vent) 5m 10	VENTI	LATOR			
	F109	Strip Vent (h-vent)	5m	10	•• •••
FCV Circular Soffit Vent Piece 50	FCV	Circular Soffit Vent	Piece	50	• •



ROOFL	INE DÉCOR MOULDING			
FIN 1	Finial	Piece	10	•• •••
FM01	Ogee Décor Mould	Piece	1	• •
	•			

CLADDING - Fortex® (embossed) & Standard

CLADDING - Fortex® (embossed) & Standard

CLADDING Fortex® OPEN V Shiplap Doub Weatherboard mbossed Shiplap Double Plank FCF170E

OPEN V CLADDING (FV100 & FV100V) ACCESSORIES



2 Part Universal Edge Trim (FV201)



Universal Edge Trim (FV202)



2 Part Corner Trim (FC204)



FCD300

FCD300E

Joint / 'H' Trim (FV205)



(FC206)



(FV209)



(FCD212)



Batten Cover (FV218)



External Cladding Reveal Liner (FC219)

SHIPLAP CLADDING (FC150 & FC150E) ACCESSORIES



2 Part Universal Edge Trim (FC201)





Corner Trim



Trim(FC204)





Drip Trim (FC206)





Butt Joint (FC209)



(FC203)



Starter Trim (FC212)



2 Part Corner



2 Part Joint Trim (FC215)



Joint / 'H' Trim (FV205)



Starter Trim with Batten Cover (FC218)



Reveal Liner (FC219)

SHIPLAP DOUBLE PLANK (FCD300 & FCD300E) & WEATHERBOARD (FCF170E) CLADDING ACCESSORIES



2 Part Universal Edge Universal Edge Trim 2 Part Corner Trim Joint / 'H' Trim Trim (FCD201) (FCD202)





(FCD204)



(FCD205)



Butt Joint (FCD209)



Butt Joint (FCF209E)



Starter Trim (FCD212)



External Cladding Reveal Liner (FC219)

CLADDING - Fortex® (embossed) & Standard

		LADDING - FOR	EX (GIIIDOS	seu) & Stallual u
	STANDA	PN				H = 0
•	JIANDA	N.D				OWHITE ● WGM ● WGG ● WGB
	Code	Description	Unit	Units per Pack		Available Colours
	SHIPLAP					
	FC150	150mm Shiplap Cladding	5m	5		$\circ \bullet \bullet \bullet$
	FC201	2 Part Universal Edge Trim	5m	10		0 • • •
	FC202	Universal Edge Trim	5m	10		0 • •
	FC203 FC204	Corner Trim 2 Part Corner Trim (also use for Open V)	5m 5m	5 5		
	FC205	Joint / 'H' Trim	5m	5		Ŏ
	FC206	Drip Trim (also use for Open V)	5m	10		Ó
10	FC212	Starter Trim	5m	5		0
	FC215 FC218	2 Part Joint Trim Starter Trim with Batten Cover	5m 5m	5 5		<u>o</u>
	10210	Starter Hill Will Butter Cover	5111			
	OPEN V (CLADDING				
	FV100	100mm Open V Cladding	5m	5		O • • •
	FV201	2 Part Universal Edge Trim	5m 5m	10		ŎŎŎ
	FV202	Universal Edge Trim	5m	10		
	FC204I	2 Part Corner Trim [INT. WG & EXT. LB]*	5m	5		0 • •
7	FC204X FV205	2 Part Corner Trim [EXT. WG & INT. LB]* Joint / 'H' Trim	5m 5m	5 10		
,	FC205	Drip Trim (also use for Shiplap)	5m 5m	10		— ŏ • •
	FV209	Butt Joint	Piece	10		0
	FV212	Starter Trim	5m	5		0
	FV218	Starter Trim with Batten Cover External Cladding Reveal Liner	5m	5		<u>8</u>
	FC219	DOUBLE PLANK CLADDING	3m	5		
	FCD300	300mm Shiplap Double Plank Cladding	5m	2		<u> </u>
	FCD201 FCD202	2 Part Universal Edge Trim Universal Edge Trim	5m 5m	5 5		Ŏ
	FCD204	2 Part Corner Trim	5m	5		ŏ
	FCD205	Joint / 'H' Trim	5m	5		Ŏ Q
	FCD212E3 FC219	Starter Trim External Cladding Reveal Liner	5m 3m	5 5		
1	FORTEX	® RANGE			○ White	PG SG CLB CLB SAND
	Code	Description	Unit	Units	0	Available Colours
		ŕ		per Pack		
	EMBOSS	ED SHIPLAP DOUBLE PLANI	K CLADD	ING		
-	FCD300E	300mm Emboss Shiplap Dbl. Plank Clade		2	2	
1	FCD201E3 FCD202E3	2 Part Universal Edge Trim Universal Edge Trim	3m 3m	5 5	0	
1	FCD204E3	2 Part Corner Trim	3m	5		
The same of the sa	FCD205E3	Joint/'H' Trim	3m	5	0	
	FCD209E	Butt Joint	Piece		8	
	FCD212E3 FC219	Starter Trim External Cladding Reveal Liner	3m 3m	5 5	ŏ	
	FCD220E3	Multi-function Profile	3m	5	ŏ	
	WEATHE	RBOARD CLADDING				
	FCF170E	170mm Weatherboard Cladding	5m	6	0	• • • • •
	FCF209E	Butt Joint	Piece	10	Q	00000
	FCD201E3	2 Part Universal Edge Trim	3m	5	000000	
	FCD202E3 FCD204E3	Universal Edge Trim 2 Part Corner Trim	3m 3m	5 5	X	
The same of the sa	FCD204E3 FCD205E3	Joint/'H' Trim	3m 3m	5	ŏ	
	FCF2123	Starter Trim	3m	5		
	FC219	External Cladding Reveal Liner	3m	5	0	
	RENDER	FINISH FLAT CLADDING				
- 1	FCP250E	Render Finish Flat Cladding	5m	2	0	•
10-1		James	5			



PLASTOPS® Plastic Headed Pins & Nails





Code	Description	Quantities	Total Box Quantities per Case	Available Colours
PIN				
P30	30mm	100	40 (
P40	40mm	100	40 (
CP30	30mm 'Cladpin'	100	40 ()

NAIL					
N40	40mm	100	10	0	
N50	50mm	100	10	$\bigcirc \bullet \bullet$	$\bullet \bullet \bullet$
N65	65mm	100 2	25	$\bigcirc \bullet \bullet$	


[Note: All Plastops pins & nails are ringshanked and made from A4 Marine Grade Stainless Steel].

Wood Grain Mahogony (WGM)



Wood Grain Oak (WGO)










RAINWATER SYSTEMS

Freeflow is a range of innovative, high quality PVC-U rainwater systems available in Square, Half Round, Ogee and Deep.



CO-EXTRUDED GUTTERS

Each rainwater system is co-extruded with a white interior and a range of exterior colours - Freefoam's innovative solution to the problems associated with rapid heat absorption and expansion of gutters.



RAINWATER SYSTEMS (GUTTERS & DOWNPIPES)

Unit | BOX /PACK |

RAINWATER SYSTEMS - SQUARE LINE

Code Description



١		***		QUANTITIES	
7	SQUARE	LINE GUTTER SYSTEM			
ſ	FSG400	Gutter	4m	6	
1	FRS601	Gutter Angle 150°		24/1	
į.	FRS602	Union Bracket		24/6	
9	FRS603	90° Gutter Angle		20/1	
1	FRS604	135° Gutter Angle		24/1	
1	FRS605	Running Outlet		16/1	
	FRS606	Stopend Outlet		30/1	
	FRS607	Stopend-External		135/15	
	FRS608	Stopend-Internal		200/10	
	FRS609	Square Fascia Bracket		150/25	
	FRS611	Square to Round Gutter Adaptor		55/11	
	FR0611	Ogee to Square Gutter Adaptor		1/1	



SQUARE	E PIPE SYSTEM		
FSP275	Pipe	2.75m	6
FSP400	Pipe	4m	6
FSP550	Pipe	5.5m	6
FRS524	90° Offset Bend		40/10
FRS525	Socket		50/10
FRS526	Square Pipe Clip (Stand-off)		200/10
FRS536	Square Pipe Clip (Flush)		240/30
FRS527	112° Offset Bend		30/1
FRS528	Square Shoe		56/14
FRS538	Square Extended Shoe		56/14
FRS529	112° Branch		20/10
FRS531	Square to Round Downpipe Adaptor		50/10
FRS532	Mini Offset		20/10
FRS533	Access Pipe		5/5

RAINWATER SYSTEMS - HALF ROUND

Description

Code



Code	Description	Unit	QUANTITIES
HALF RO	UND GUTTER SYSTEM		
FRG400	Gutter	4m	6
FRR601	150° Gutter Angle		28/1
FRR602	Union Bracket		30/6
FRR603	90° Gutter Angle		22/1
FRR604	135° Gutter Angle		30/1
FRR605	Running Outlet		18/1
FRR606	Stopend Outlet		30/1
FRR607	Stopend-External		120/15
FRR608	Stopend-Internal		270/30
FRR609	Half Round Fascia Bracket		180/30
FRS611	Square to Round Gutter Adaptor		1/1
FRR611	Ogee to Round Gutter Adaptor		1/1
FRR614	Steel adjustable Side Rafter bracket	420mm	1
FRR615	Steel Rise and Fall bracket		1
FRR616	Drive for Rise and Fall bracket	300mm	1
FRR617	Side Rafter bracket	300mm	1

Unit

BOX /PACK



ROUND	PIPE SYSTEM			
FRP275	Pipe	2.75m	6	
FRP400	Pipe	4m	6	
FRP550	Pipe	5.5m	6	
FRR524	90° Offset Bend		40/10	
FRR525	Socket		50/10	
FRR526	Round Pipe Clip (Stand-Off)		180/30	
FRR536	Round Pipe Clip (Flush)		100/10	
FRR527	112° Offset Bend		36/9	
FRR528	Shoe		40/10	
FRR529	112° Branch		20/10	
FRR530	Hopper		5/5	
FRR532	Mini Offset		10/1	
FRR533	Access Pipe		5/5	

RAINWATER SYSTEMS (GUTTERS & DOWNPIPES)

RAINWATER SYSTEMS - OGEE



Code	Description	BOX /PACK QUANTITIES
	THE CYCHELL	

OGEE G	UTTER SYSTEM		
F0G400	Gutter	4m 4	
FR0601	150° Gutter Angle	10,	/1
FR0602	Union Bracket	20	/1
FR0603	90° Gutter Angle	10,	/1
FR0604	135° Gutter Angle	12,	/1
FR0605	Running Outlet	12,	/1
FR0606	Stopend Outlet	20	/1
FR0607	Stopend-External	80)/10
FR0608	Stopend-Internal	50	/10
FR0609	Ogee Fascia Bracket	10	0/10
FR0611	Ogee to Square Gutter Adaptor	1/1	
FRR611	Ogee to Round Gutter Adaptor	1/1	
FR0613	Top Hung Ogee Fascia Bracket	15	0/30

RAINWATER SYSTEMS - DEEP

Description




Code

			QUANTITIES	
DEEP GU	TTER SYSTEM			
FDG400	Gutter	4m	6	
FDF602	Union Bracket		26 (2 x 10), 1 x 6)
FDF603	90° Gutter Angle		15/1	
FDF604	135° Gutter Angle		18/1	
FDF605	Running Outlet		12/1	
FDF607	Stopend-External		96/12	
FDF608	Stop End, Internal		300/30	
FDF609	Fascia Bracket		150/25	


BOX /PACK

Unit

SQUARE




ROUND



OGEE



DEEP





Geo-panel®

Geo-panel® interior decorative panelling offers home owners, house builders, local authorities, developers and installers a stylish, modern and convenient interior decorative panelling system. Geo-panel® is a cost-effective and practical alternative to tiling and other conventional materials. It provides a smooth, decorative, waterproof wall covering for new and existing interior walls and ceilings in homes, offices and in industrial applications where hygiene is key.

Geo-panel® is available in a large range of stylish designs and colours. It is waterproof, hygienic, durable, virtually maintenance free and does not discolour. In addition, the panels fit together with a waterproof tongue-and-groove joint to ensure quick and easy installation without the need for grouting.

Features and Benefits

Geo-panel® has a substantial range of impressive features and benefits including:

- Available in a large range of stylish designs & colours.
- Waterproof.
- Hygienic.
- Virtually maintenance free.
- · Does not discolour.
- Tongue & groove design for quick & easy installation.
- Durable.
- Suitable for walls & ceilings.
- Lead-free.
- Versatile suitable for home, office and industrial applications.
- Complete range of trims available to ensure a neat and professional installation


GEO-PANEL WIDE - 1M WIDE WATERPROOF PVC PANELLING



DIAMOND WHITE STONE



DIAMOND BLACK STONE



BLACK GRANITE



BLACK MARBLE



TRAVERTINE MARBLE



PERGAMON MARBLE



GREY MARBLE



IVORY MARBLE



WHITE MARBLE



WHITE

IDEAL FOR SHOWERS

Note: Colours/designs shown in this brochure are for availability identification only. Please see in store display or samples for exact colour/design representations.

New Range

GEO-PANEL CEILING & WALL PANELLING (250mm Wide)



WHITE/SILVER 2-STRIP



DIAMOND BLACK STONE



DIAMOND WHITE STONE



BLACK MARBLE



PERGAMON MARBLE



SOFT GREY MARBLE



PASTEL GREY MARBLE



BLACK WOOD



WHITE WOOD



WHITE GLOSS

IDEAL FOR CEILINGS AND WALLS

Note: Colours/designs shown in this brochure are for availability identification only. Please see in store display or samples for exact colour/design representations.

GEO-PANEL WIDE



Code	Description		Uni	per pack
1M WIDE	WATERPROOF PVC	PANELLING - 2400 x 1000 x 10m	m	
GE7PMC	1000mm PVC WidePanel	Pergamon Marble		1
GE7BMC	1000mm PVC WidePanel	Black Marble		1
GE7WHC	1000mm PVC WidePanel	Plain White		1
GE7BGC	1000mm PVC WidePanel	Black Granite		1
GE7TRC	1000mm PVC WidePanel	Travertine		1
GE7IMC	1000mm PVC WidePanel	Ivory Marble		1
GE7LGMC	1000mm PVC WidePanel	Grey Marble		1
GE7WMC	1000mm PVC WidePanel	White Marble		1
GE7BDC	1000mm PVC WidePanel	Black Diamond Stone		1
GE7WDC	1000mm PVC WidePanel	White Diamond Stone		1



FINISHIN	G TRIMS		
GET7UTWH	PVC End U	White	10
GET7UTSI	PVC End U	Silver	10
GET7ECWH	PVC External Corner	White	4
GET7ECSI	PVC External Corner	Silver	4
GET7ICWH	PVC Internal Corner	White	4
GET7ICSI	PVC Internal Corner	Silver	4
GET7HTWH	PVC H-Join	White	10
GET7HTSI	PVC H Join	Silver	10
GET7BSWH	PVC Base Seal	White	1
GET7BSSI	PVC Base Seal	Silver	1

STANDARD GEO-PANEL



Code	Description			Onit per pack	
250 WID	E WATERPROOF PVO	PANELLING - 2700) x 250 x 5mm	· ·	
GE8TSWHC	5mm PVC Panel -2-Strip	White/Silver 2-Strip	2700 x 200mm	5	
GE8TSWHC4	5mm PVC Panel -2-Strip	White/Silver 2 strip	4000 x 200mm	5	
GE8WHC	5mm PVC Panel	White Gloss	2700 x 250mm	5	
GE8BMC	5mm PVC Panel	Black Marble Gloss	2700 x 250mm	4	
GE8PMC	5mm PVC Panel	Pergamon Marble Gloss	2700 x 250mm	4	
GE8LGMC	5mm PVC Panel	Soft Grey Marble Gloss	2700 x 250mm	4	
GE8PGMC	5mm PVC Panel	Pastel Grey Marble Gloss	2700 x 250mm	4	
GE8BWC	5mm PVC Panel	Black Wood Gloss	2700 x 250mm	4	
GE8WHWC	5mm PVC Panel	White Wood Gloss	2700 x 250mm	4	
GE8WDC	5mm PVC Panel	White Diamond Stone	2700 x 250mm	4	
GE8BDC	5mm PVC Panel	Black Diamond Stone	2700 x 250mm	4	



IIIIIIIII	O IKIMS				
GET8UTWH	PVC End U	White		10	
GET8UTSI	PVC End U	Silver		10	
GET8ECWH	PVC External Corner	White		4	
GET8ECSI	PVC External Corner	Silver		4	
GET8ICWH	PVC Internal Corner	White		4	
GET8ICSI	PVC Internal Corner	Silver		4	
GET8HTWH	PVC H-Join	White	20mm	10	
GET8HTSI	PVC H-Join	Silver	20mm	10	
GET8SMWH	Scotia Moulding	White		4	
GET8SMSI	Scotia Moulding	Silver		4	
GET7DCSI	Décor Clip In	Silver		1	

DECKING



Features and Benefits

Due to the innovative nature of the product, Edenex® decking has a range of truly unique features and benefits including:

- Low maintenance (treating not required)
- Maximum durability
- · High strength
- Slip resistant surface
- Natural, warm feel
- Water resistant

- Splinter-free
- Will not warp
- Will not split
- Resistant to insects
- Available in a range of colours
- Easy to install with hidden, snaptogether system

Colours

Edenex® decking is available in a range of three beautiful colours including Chocolate Brown, Pebble Black and Slate Grey




Edenex System Part Quantity Requirements

	Deck area (Square metres)				
Part	6m²	12m²	18m²	24m²	
Planks (ETD4)	11	21	32	42	
Beams (ETB4)	5	9	13	16	
Clips (ETCP)	99	189	288	378	
End Clips (ETECP)	10	18	26	32	

Note:

Please note that the part quantity requirements outlined above are a general quideline only and actual requirements for specific installations may vary.



Dimensions

Plank (ETD4): Length = 4m; Width = 140mm; Thickness = 28mm. Support Beam (ETB4): Length = 4m; Rectangular: 60mm x 50mm.

EDENEX



Code	Description	
PLANKS	& BEAMS	
ETD4	EDENEX Plank	
ETB4	EDENEX Beam	



ACCES.	SORIES	
ETC	Centre Clip with positioning Nib	
ETCP	Centre Clip	
ETEC	End Clip with Positioning Nib	
ETECP	End Clip	

 $\underline{\textbf{Note:}} \ \textbf{Choose either Finish A of Finish B}$

The Freefoam Guarantee is backed by leading-edge Technology

Due to its leading-edge technology, Freefoam can offer a ground breaking 30 year extended transferable guarantee on all white* products, and a 10 year transferable guarantee on all coloured* and foiled woodgrain* products. The 30 year extended guarantee is backed by Freefoam's environmentally friendly, lead free formulation and subject to the terms and conditions outlined below.

The 10 year colour guarantee is backed by Freefoam's innovative Colormax® technology which provides ground-breaking colourfastness, colour variety and colour matching. By using a proprietary formulation that contains a unique selection of stabilisers and pigments specially chosen for their high colourfastness properties, Freefoam can confidently offer a wide range of colours.

The 10 year foiled woodgrain guarantee is backed by market leading Renolit EXOFOL MX foil incorporating its Solar Shield Technology (SST). SST offers built-in sun reflection which reduces heat absorption, thus minimising profile temperature and expansion. Guarantee certificates are now available on all of the above products through Freefoam's online guarantee registration system.

Customers not availing of the online registration system to obtain a certificate will still qualify for the standard 20 year guarantee on all white products. All guarantees are subject to terms and conditions as outlined on our website (www.freefoam.com/ guarantee)



STOCKISTS

Stockists, who promote the Freefoam guarantees to customers, offer a superior package.

"The Freefoam guarantee adds credibility to our roofline range and our installers have found it to be an excellent sales tool"

Mark Warren, Lister Trade Frames.

INSTALLERS

Installers, who offer the Freefoam Guarantees, win more business by offering a stronger sales proposal.

"The main benefit for us was the Freefoam Guarantee on all parts of the roofline"

Leigh Stevenson, Kirk Hallam Homes.



* Please see www.freefoam.com/guarantee for guarantee terms & conditions.

Become a Freefoam Registered Installer TODAY!

There's never been a better time to get your business aligned to one of the major roofline brands. By becoming a Freefoam Registered Installer you wil benefit from our excellent marketing and sales support package and also be able to offer our industry leading 30 Year Extended Guarantee.

REASONS TO BECOME A FREEFOAM REGISTERED INSTALLER

- Offer your customers total peace of mind with a 30 Year Extended Guarantee on white roofline and rainwater products*
- Stand out from the crowd. Only Freefoam Registered Installers can offer the Extended Guarantee.
- Receive a FREE marketing and support package to help you close the deal.
- Dedicated website: www.myfreefoam.com
- Receive more leads from our website: www.myrooflinematters.co.uk

Fill in the form below and hand to your Freefoam stockist

N	ame
C	ompany Name
C	ompany Address
	,,
••••	
Er	mail Address
_	
ы	hone No
	Your Local Freefoam Stockist



Freefoam and the Environment

Freefoam is committed to the prevention of pollution and to continual improvement in environmental management and performance. To reinforce our commitment we have achieved ISO 14001:2004 Environmental Management System certification in Group and implement this on an ongoing basis.



Freefoam and Recycling

- Freefoam produce products with up to 85% recycled content, such as our coextruded rainwater system.
- Freefoam currently recycles 85% of post production waste and are targeted to increase this to 98%.
- Freefoam keep scrap rates below 10% with highly efficient production processes.
- Freefoam products are 100% lead free; we mean complete product, not just the skin.

Note: All specifications, dimensions, descriptions and illustrations contained in any Freefoam sales literature, quotation, or pricelist or other advertisement matter are intended merely to present a general idea of the goods that we sell. We reserve the right from time to time to make changes which are required to comply with any applicable safety or statutory requirements or which do not materially affect the quality or fitness for purpose of the goods you purchase from us.



Flammability of Extruded Freefoam PVC Product

Test Method:

BS 476: Part 7: 1997, Method for Classification of the Surface Spread of Flame of Products.

Tested by:

Warrington Fire Research Centre Ltd, Holmesfield Road, Warrington, UK WA1 2DS

Freefoam products have been awarded the following classifications

Warres No.	Freefoam Material	Classification
0459	Hollow Soffit	2Y
0458	Magnum Fascia (18mm)	1
0457	Cladding (10mm)	1Y

Classification of spread of flame

Class	Spread of flame at 1.5 min.		Final spread of flame	
	Limit	Limit for one specimen in sample	Limit	Limit for one specimen in sample
Class 1	165	165 + 25 mm	165	165 + 25 mm
	mm		mm	
Class 2	215	215 + 25 mm	455	455 + 25 mm
	mm		mm	
Class 3	265	265 + 25 mm	710	710 + 25 mm
	mm		mm	
Class 4	Exceeding the limits for Class 3			Class 3

Explanation of prefix and suffixes which may be added to the classification

Suffix R	Added if more than six specimens are required in order to obtain six valid test results.
Prefix D	Used if product does not comply with surface characteristics specified in Standard.
Suffix Y	Used if any softening and or other behavior that may affect the flame spread occurs

Properties which make PVC inherently Flame-retardant.

The fire hazard of a product is determined by ignitability, flammability, the amount of heat released when it burns, the rate at which this heat is released, the flame spread , the smoke production and the toxicity of the smoke.

The properties outlined below show why the fire hazard associated with PVC is low. Ignitability: ASTM D1929: With Flash ignition temperature 391°C and Self ignition temperature of 454°C, PVC is amongst the least easily ignited polymers.

Flammability: ASTM D2863: PVC has a Limiting Oxygen Index (LOI) of 34. In general a material with an LOI greater than 21 (the oxygen content of air) should not burn at room temperature and an LOI greater than 27 should only burn under extreme conditions.

Heat Release: ASTM, E906, The maximum rate heat release from PVC is less than 120 kW/m2, this is guite low in comparison to most polymers.

www.freefoam.com sales@freefoam.com

77-83 St James Mill Road Northampton NN5 5JP UK

T 01604 591 110 F 01604 580 299

