


Combination Roofing Pack

CODE **G1290**

For more detailed information on the individual products see the product information sheet numbers below: -

G500	Roll Panel Ventilator	MBP 8012
G1200N	Over Fascia Ventilator	MBP 8010
G1280	Felt Support Tray	MBP 8025



Description:

The G1290 Roof Ventilation Pack provides a quick and practical solution to roof ventilation requirements. It is suitable for either 400mm, 450mm, or 600mm rafter centres for new build or refurbishment where rafter centres are not consistent or unknown.

References:

BRE:	DIGEST 14/262/270
BSI:	BS5250
BSI:	BS5534
DOE:	Building Regs F2
NHBC:	Technical Bulletin 6/21
NHBC:	Good Practice Guide
NHBC:	Standards 7.2
P.S.A:	Defects in Buildings

Fitting Instructions:

The G500 Roll Panel Ventilator (A) should be rolled out over the full length of the eaves and pulled to adjust to the correct roof truss centres then nailed or stapled down to secure in position as shown.

The G1200N Over Fascia Ventilator (B) should be nailed to the top of the fascia board through the fixing holes provided along the full length of the eaves as shown.

The G1280 Felt Support Tray (C) should be used with timber fillets. The front "bobble" edge should be dressed down towards the gutter and either stapled or nailed into the position over the G1200N Over Fascia Vent. The first "bobble" of each tray should be used to locate the over lap of 25mm as each tray is 625mm long. Felt should be dressed over the G1280 Felt Support Tray as normal.

COLOURS	Black
PACKING DETAILS	1X6 Meter G500
G1290 COMBINATION PACK CONTAINS	6X1 Meter G1200N 10X G1280
WEIGHT	3kg per box
FREE AIRFLOW	10,000mm ² /M equivalent to a continuous gap of 10mm

MANTHORPE BUILDING PRODUCTS LTD
MANTHORPE HOUSE
BRITAIN DRIVE
CODNOR GATE BUSINESS PARK
RIPLEY
DERBYSHIRE DE5 3ND

TEL: 01773 514 200
FAX: 01773 514 262
EMAIL:
sales@manthorpe.co.uk
WEB:
www.manthorpe.co.uk

DRN M.A

Date 01.08.03

The company maintains a policy of continuous development of its product range and reserves the right to amend the specification without notice.

DRG No

MBP 8026

Issue

A