







CHOOSING EXTERIOR DOOR FRAMES

All exterior door frames are designed for long-lasting performance and easy installation.

- Assembled oak veneer door frames are available to complement oak Stormsure window ranges and oak external doors. These are made to order. Flat pack oak veneer door frames are available from stock, see page 7.
- Manufactured from quality redwood and oak veneer with hardwood sills as standard where applicable
- Rebated to suit 44mm doors
- 170mm standard sill
- 140mm optional sill
- Fitted heavy duty PVC water bar (not on mobility frames)
- Supplied with a harmonising basecoat stain ready for on-site finishing (excluding flat pack oak)
- Fully finished door frames available to special order.
- Factory-glazed front entrance frames available to special order including PATT 70, PATTSC, Vertical Bar, see page 5.
- Factory-glazed fixed top lights available on storey height frames available to special order.
- Not all JELD-WEN door designs are compatible with the door frame range, please check before ordering.

Door frame and threshold

Building Regulations Approved Document M Mobility Amendment requires disabled access into buildings to be over a threshold no higher than 15mm (as illustrated on page 4).

Mobility

Mobility door frames are supplied with a threshold pack. This pack is loose and requires on-site fixing. Head packers are available to order if required.

Range guide

Assembled	Softwood	Hardwood	Oak
Sill	V		V
No Sill	V	V	
Mobility	✓		✓
FD30	✓		
FD60		V	

Unassembled	Softwood
Sill	V
No Sill	✓
Mobility	V
Garage	~

Hardwood finishes





Basecoat stain for site finishing (Standard)

Baltic Hi-Build stain, factory finished

Softwood finishes







Basecoat stain for site finishing (Standard)

Primed (grey) for site finishing

Hi-Build white, factory finished

Oak finishes



for site finishing

(assembled oak

frames only

- Standard)





Dark Oak Hi-Build stain, factory finished



Golden Oak Hi-Build stain, factory finished

Finishing options shown are for guidance purposes only. There maybe some variation to the finished product supplied.

- Standard)

Optional finishes

For extra durability we strongly recommend that you purchase primed door frames for external use. Primed frames are guaranteed for 3 months, base coat stained frames are guaranteed for 1 month before site decoration is required. Please state 'primed' or 'stained' when ordering.





ASSEMBLED DOOR FRAMES

WEATHERSTRIPPED - WITH SILL



		Frame H	eight 2076ı	nm		Frame H	eight 2127m	ım	
Door Sizes		Inward Opening		Outward Opening		Inward Opening		Outward Opening	
(mm) WxH	Frame Width	Code	Price	Code	Price	Code	Price	Code	Price
Softwood									
914x1981	1006mm	FN30M	£144.44	FX30M	£144.44				
838x1981	930mm	FN29M	£140.04	FX29M	£140.04				
813x2032	905mm					FN28M	£139.91	FX28M	£139.91
762x1981	854mm	FN26M	£135.64	FX26M	£135.64				
686x1981	778mm	FN23M	£131.25	FX23M	£131.25				
Hardwood	·							•	
914x1981	1006mm	FN30MH	£302.24	FX30MH	£302.24				
838x1981	930mm	FN29MH	£296.17	FX29MH	£296.17				
762x1981	854mm	FN26MH	£290.09	FX26MH	£290.09				
Oak	·							•	
914x1981	1006mm	OFN30M	£394.50	OFX30M	£394.50				
838x1981	930mm	OFN29M	£392.29	OFX29M	£392.29				
813x2032	905mm					OFN28M	£385.20	OFX28M	£385.20
762x1981	854mm	OFN26M	£389.58	OFX26M	£389.58				

WEATHERSTRIPPED - NO SILL




^{*}Suitable for use with separate threshold.



(Image shown with sill option)



WEATHERSTRIPPED - MOBILITY



		Frame Height	Frame Height 2086mm		2395mm	Frame Heig	ght 2041mm	Frame Height 2395mm		
Door Sizes		Inward Opening					nward and Dutward Opening		Inward and Outward Opening Plus Glazing Options	
(mm) WxH	Frame Width	Code	Price	Code	Price	Code	Price	Code	Price	
Softwood	'									
914x1981	1006mm	FN30M-MOB	£165.94	VFN30M-MOB	£228.61	F30M	£112.76	VF30M	£180.69	
838x1981	930mm	FN29M-MOB	£162.09	VFN29M-MOB	£223.01	F29M	£110.63	VF29M	£176.69	
Hardwood										
914x1981	1006mm	FN30MH-MOB	£324.39	VFN30MH-MOB	£412.12	F30MH	£268.28	VF30MH	£364.00	
838x1981	930mm	FN29MH-MOB	£318.87	VFN29MH-MOB	£403.54	F29MH	£264.47	VF29MH	£357.02	
Oak				*Extended iam	bs to allow	mobility thresh	nold up to 14mi	m hiah.		
914x1981	1006mm	OFN30M-MOB	£427.63]				5		

£424.03

WEATHERSTRIPPED -

FRENCH CASEMENT (PAIRS)


930mm



			Frame Height 2076mm				
Door Sizes		Inward Ope	ning	Outward O	pening		
(mm) WxH	Frame Width	Code	Price	Code	Price		
Softwood	·						
2no. 762x1981	1604mm	FN40115M	£188.92	FX40115M	£188.92		
2no. 838x1981	1756mm	FN5055M	£197.71	FX5055M	£197.71		
1 pair 1168x1981	1260mm	FN310M	£159.13	FCP126310	£159.13		

OFN29M-MOB







838x1981



ASSEMBLED DOOR FRAMES

FRONT ENTRANCE DOORS

When ordering, please state "as catalogue" or "opposite catalogue",

WEATHERSTRIPPED - DOORS OPEN INWARDS (UNGLAZED AS STANDARD)










Door Sizes		Frame Heigh	nt 2086mm	Frame Height 2086mm Frame Height 2086mm		Frame Height 2086mm			
(mm) WxH	Frame Width	Code	Price	Code	Price	Code	Price	Code	Price
Softwood									
838x1981	1195mm	FE120029	£234.18			FER120029	£277.24		
838x1981	1345mm	FE135029	£253.38			FER135029	£303.67		
838x1981	1495mm	FE150029	£263.34			FER150029	£320.87	FERD150029	£349.46
838x1981	1645mm	FE165029	£273.29	FED165029	£273.52	FER165029	£338.06	FERD165029	£366.65
838x1981	1795mm	FE180029	£283.25	FED180029	£283.48	FER180029	£355.26	FERD180029	£383.85
838x1981	2095mm			FED210029	£313.73			FERD210029	£428.57


^{*}Side lights are available left hand (shown above) or right hand when viewed from the outside. Please specify handing at time of order. If not specified side lights will be supplied lefthand.


Factory glazing


We can supply front entrance frames factory-glazed with a variety of different glass types.

Factory glazed options










PATT 70 (4 light)

Mobility

We supply entrance frames (838mm door size) fitted with 170mm mobility sills. With these frames, we supply a low-level threshold loose for on-site fitting.





[&]quot;as catalogue" means the side light is on the left when viewed from the outside.



ASSEMBLED DOOR FRAMES

FIRE DOORS

We offer a choice of softwood 30-minute and hardwood 60-minute fire resisting door frames suitable for internal and external use. Both are fitted with 15mm x 4mm intumescent strips as standard. All rebates are 12mm deep, and the frames are tested in compliance with BS 476 Part 22.

30-minute fire resisting door frame fitted with intumescent strip. Our FD30 door frame suits a 44mm (1¾") thick door. Frames available from stock are fitted with one set of 15mm x 4mm intumescent strip. Frames fitted with one set of 15mm x 4mm intumescent strip with a smoke seal are available to order or a 25mm intumescent strip and smoke seal.

30 MINUTE FD30 FIRE **RESISTING DOOR** FRAMES - WITH INTUMESCENT STRIP





ill 140mm - open in

Intumescent strip / smoke seal



Frame Height 2059mm Flush sill 78mm - open in or out

Intumescent strip / smoke seal

£131 93

£135.08

£131.93 | SDF26FCA3

£135.08 SDF29FCA3

Intumescent strip only

		Frame Height 2030mm No sill - open in or out						eight 20 I sill 140	74mm mm - oper
		Frame fit	ted witl	h:					
Door Sizes (mm) WxH	Frame Width	Intumesce strip only	tumescent Intumescent strip / smoke seal			Intumescent strip only		ent	Intumesce smoke sea
Softwood									
762x1981	851mm	DF26FCA2	£120.02	SDF26FCA2	£120.02	DF26	5FCA1	£132.40	SDF26FCA1
813x2032	901mm	DF28FCA2	£123.13	SDF28FCA2	£123.13				
838x1981	927mm	DF29FCA2	£122.29	SDF29FCA2	£122.29	DF29	9FCA1	£135.55	SDF29FCA1
		Frame He	eight 20	89mm		Г.			
Metric 726x2040	815mm	DF726FCA2	£161.40	SDF726FCA2	£161.40				
Metric 826x2040	915mm	DF826FCA2	£123.76	SDF826FCA2	£123.76				
Metric 926x2040	1015mm	DF926FCA2	£126.74	SDF926FCA2	£126.74		_		WEN MELTON MO



f132 40 DF26FCA3

f135.55 DF29FCA3

60-minute fire resisting door frame fitted with smoke and intumescent seal/strips. This FD60 door frame suits a 54mm (21/8") thick door. Fitted with one set of 15mm x 4mm intumescent strip with a smoke seal and one set of 15mm x 4mm intumescent strip.

60 MINUTE FD60 FIRE RESISTING DOOR FRAMES





		Frame heigh	t 2030mm	Frame heigh	t 2081mm	Frame height	t 2089mm				
Door Sizes		No sill - Open in or out Frame fitted with intumescent strip / smoke seal									
(mm) WxH	Frame Width	Code	Price	Code	Price	Code	Price				
Hardwood	·			•		•					
762X1981	851mm	DF26FCA4	£237.67								
813X2032	901mm			DF28FCA4	£244.53						
838X1981	927mm	DF29FCA4	£241.94								
Metric 726X2040	815mm					DF726FCA4	£280.87				
Metric 826X2040	915mm					DF826FCA4	£245.89				
Metric 926X2040	1015mm					DF926FCA4	£251.51				




FLAT PACK DOOR FRAMES

DOORS AND GARAGE DOORS

DOOR FRAMES

- Oak option to suit range of oak doors and windows
- Easily assembled on-site
- Oak frames supplied unfinished ready for painting or staining
- Weatherstripped
- 170mm sill



DOOR FRAMES - WEATHERSTRIPPED

Door Sizes		Opening		2076mm 2127mm Inward/Outward Inward/Outward Opening Opening		2086mm Inward Opening Mobility		Frame Height 2031mm Inward & Outward Opening No Sill		Frame Height 2082mm Inward & Outward Opening No Sill	
(mm) WxH	Frame Width	Code	Price	Code	Price	Code	Price	Code	Price	Code	Price
Softwood	'										
838x1981	930mm	PFN29M	£140.04			PFN29M-MOB	£162.09	PF29	£110.37		
813x2032	905mm			PFN28M	£139.91					PF28	£110.99
762x1981	854mm	PFN26M	£135.64					PF26	£108.24		
Oak											
914x1981	1006mm	PFN30MO	£383.09			PFN30MO-MOB	£416.22				
838x1981	930mm	PFN29MO	£380.88			PFN29MO-MOB	£412.63				
813x2032	905mm			PFN28MO	£373.79						
762x1981	854mm	PFN26MO	£378.18								

GARAGE DOOR FRAMES

When assembled the frames suit the door openings of the sizes shown.

They are intended for use with wood, GRP or steel retractable doors.

When using timber side-hung garage doors, a suitable stop will be required (not supplied).

Door Sizes (mm) WxH	Frame Width	Frame Height	Code	Price
Softwood				
2134x1981	2266mm	2047mm	UF7066NS	£88.58
2134x2134	2266mm	2200mm	UF7070NS	£89.60
2286x1981	2418mm	2047mm	UF7666NS	£92.39
2286x2134	2418mm	2200mm	UF7670NS	£92.06
2438x1981	2570mm	2047mm	UF8066NS	£107.95
2438x2134	2570mm	2200mm	UF8070NS	£108.98
4267x2134	4399mm	2200mm	UF14070NS	£167.21